

MAGNUM Characters

1. UNSUPPORTED CHARACTERS

Currently, the following characters are prohibited from **src/dst names** (due to restrictions on the panels or restrictions on the *Controls* pages [for periods]):

. ? * , @ & "

And the following characters are prohibited from **Device, Profile, Panel, and Name Set names** (mostly due to restrictions in filenames):

. ? * , @ " ' % / \ ,

Device Short Names also cannot contain the following characters (due to descriptors that the *Controls* pages use):

;

Levels names cannot contain the following characters:

, ; ()

Level names cannot be identical to:

DEF AUD VID VIDEO

2. MAXIMUM NUMBER OF CHARACTERS ON A DISPLAY

- **CP1024E**
 - **LCD Displays**
 - § **SRC:** 14 characters maximum for complete name. When the maximum number is exceeded, it will display the first 7 characters ~ last 6 characters

- **CP1040E**
 - **LCD Buttons:** Display 15 characters (whether or not BOLD and/or BIG text is enabled)

- **CP2216E/CP2232E**
 - **8 DST View**
 - § **DST:** 26 characters
 - § **SRC:** 33 characters

 - **SRC and DST List:** Maximum of 44 characters

 - **1 DST View:** DST window maximum of 42 characters

?

The CP2216E & CP2232E will always display characters in full caps.

?

The number of characters is dependant on the types of characters being used.

- **CP2272E**
 - **LCD Buttons:** Display 15 characters (whether or not BOLD and/or BIG text is enabled)

 - **LCD Displays**
 - § **SRC:** 14 characters maximum for complete name. When maximum number is exceeded, it will display the first 5 characters ~ last 8 characters
 - § **DST:** 18 characters maximum for complete name. When the maximum number is exceeded, it will display the first 9 characters ~ last 8 characters

- **MVP Maestro**
 - 16 characters

- **Multi-viewers**
 - 32 characters (Native/ImageVideo)

- **Magnum Protocol**
 - Up to 60 characters for SRC and DST

- **Quartz Interface**
 - Up to 60 characters using RS or RT commands

- **QUARTZ Single Profile Panels (LCD)**
 - 10 characters

- **QUARTZ Single Profile Panels (VFD)**
 - 8 characters

This page left intentionally blank