



Snell
Advanced
Media

User Manual

RollPod Designer

Information and Notices

Copyright and Disclaimer

Copyright protection claimed includes all forms and matters of copyrightable material and information now allowed by statutory or judicial law or hereinafter granted, including without limitation, material generated from the software programs which are displayed on the screen such as icons, screen display looks etc.

Information in this manual and software are subject to change without notice and does not represent a commitment on the part of SAM. The software described in this manual is furnished under a license agreement and can not be reproduced or copied in any manner without prior agreement with SAM, or their authorized agents.

Reproduction or disassembly of embedded computer programs or algorithms prohibited.

No part of this publication can be transmitted or reproduced in any form or by any means, electronic or mechanical, including photocopy, recording or any information storage and retrieval system, without permission being granted, in writing, by the publishers or their authorized agents.

SAM operates a policy of continuous improvement and development. SAM reserves the right to make changes and improvements to any of the products described in this document without prior notice.

Contact Details

Customer Support

For details of our Regional Customer Support Offices please visit the SAM web site and navigate to Support/Customer Support Contacts.

<https://s-a-m.com/support/contact-support/>

Customers with a support contract should call their personalized number, which can be found in their contract, and be ready to provide their contract number and details.

Contents

1. Introduction	6
1.1 System Requirements	6
1.2 Installing RollPod Designer	6
1.3 Overview	6
1.3.1 1U RollPods	6
1.3.2 3U RollPods	7
1.3.3 GPI Modules	7
1.3.4 Luna Router Control Panels	7
2. General Concepts	8
2.1 RollPod Controls	8
2.1.1 Hard Buttons	8
2.1.2 Soft Buttons (3U RollPods only)	8
2.1.3 Shaft Encoders (3U RollPods only)	8
2.2 GPI Ports	8
2.3 Functions	8
2.4 Pages	9
2.5 Categories	9
2.6 Channels	9
3. RollPod Designer User Interface	11
3.1 Drag and Drop Support	12
3.2 File Menu Options	12
3.2.1 Create a New Configuration	12
3.2.2 Open an Existing Configuration	12
3.2.3 Close the Current Configuration	12
3.2.4 Save the Current Configuration	13
3.2.5 Convert a Configuration to a Different RollPod Type	13
3.2.6 Exit RollPod Designer	13
3.3 Edit Menu Options	13
3.4 RollCall Menu Options	13
3.5 Help Menu Options	13
4. Network View	14
4.1 Connecting to a RollCall Network	14
4.2 The Network Tab	15
4.2.1 Discover Network - all units	15
4.2.2 Discover Network - gateways only	15
4.2.3 Expand Tree	15
4.2.4 Collapse Tree	15
4.2.5 View	16
4.2.6 Contextual (right-click) Menus	16
4.3 The Cached Units Tab	17
5. Remote View	18
6. Config View	20
6.1 Edit Mode	20
6.1.1 Model View	20
6.1.2 Virtual Controls	24
6.1.3 Tallies	25
6.1.4 Strings	26
6.1.5 Lua Script	27
6.2 Pages	31
6.2.1 Cutting and Pasting Pages Between Configurations	32
6.3 Property Sheet View	32
6.4 Global Properties	33

6.4.1 Category Table	36
6.4.2 Channel Table	37
6.4.3 Dynamic Table	38
6.4.4 Enable Router-follow	39
6.4.5 Ethernet table	40
6.5 Page Properties	41
6.6 Control Properties	41
6.6.1 Hard Button Control Properties	41
6.6.2 Soft Button Control Properties	44
6.6.3 Shaft Encoder Properties	44
6.6.4 GPI Port Control Properties	46
6.7 Virtual Control Properties	47
6.7.1 Virtual Hard Button Control Properties	48
6.7.2 Virtual String Region Control Properties	49
6.7.3 Virtual Edit String Control Properties	49
6.7.4 Virtual Shaft Encoder Control Properties	50
6.7.5 Virtual Button Set Control Properties	50
6.8 String Regions (3U RollPods Only)	51
6.8.1 Adding a New String Region	51
6.8.2 Repositioning and Resizing String Regions	51
6.8.3 String Region Functions	51
6.9 Functions	52
6.9.1 Unused	52
6.9.2 Page Navigation	52
6.9.3 Page Select	52
6.9.4 Remote Control	53
6.9.5 Channel Select	54
6.9.6 Lock	55
6.9.7 Take Shaft and Cancel Shaft	56
6.9.8 Radio Button	56
6.9.9 Checkbox	59
6.9.10 Take and Cancel	62
6.9.11 Display Only	63
6.10 Search Tab	64
6.11 Download Mode	64
6.11.1 Config Details	65
6.11.2 Download Config	66
6.11.3 Update Addresses	66
6.11.4 Update Script	66
6.11.5 Resume Edit	67
6.11.6 Selected Download Targets	67
6.11.7 Download Log and Progress Bar	67
6.11.8 Warnings	67
6.11.9 Errors	68
7. Examples	71
7.1 Example 1: Hello World	71
7.1.1 Start RollPod Designer	71
7.1.2 Choose a RollPod Model	72
7.1.3 Add a String Region	73
7.1.4 Download Configuration to the RollPod	75
7.2 Example 2: RollPod Configuration	76
7.2.1 Step 1: Designing the Configuration	76
7.2.2 Step 2: Creating Pages and Navigation Buttons	77
7.2.3 Step 3: Setting up the Main Page	80
7.2.4 Step 4: Adding Video Processing Controls	82
7.2.5 Step 5: Creating the Audio Delay Page	88
7.2.6 Step 6: Creating the Audio Delay 1 to Audio Delay 8 Pages	89
7.2.7 Step 7: Creating the Convert Page	94
7.2.8 Step 8: Setting Up Additional Channels	95

7.2.9 Step 9: Downloading the Configuration	96
8. RollPod / GPI Template	97
8.1 Pages	97
8.2 Information Window	98
8.3 Setup Pod Hardware (RollPods only)	99
8.3.1 LCD Settings (3U RollPods only)	99
8.3.2 Hard Button LEDs Brightness	99
8.4 Setup Pod Software	99
8.4.1 Network Name	100
8.4.2 RollCall Address	100
8.4.3 Version Info	100
8.4.4 Restart	100
8.5 Configuration	101
8.6 Connections	101
8.6.1 Local Control	101
8.6.2 Category	101
8.7 Logging	102
8.7.1 LogServer	102
8.7.2 Log Control	103
8.7.3 Aggregate Comms	103
8.8 Hard Buttons	103
8.8.1 Down event	103
8.8.2 Up event	103
8.8.3 LED Colour	104
8.8.4 Log Button	104
8.9 Local Control	104
8.10 Virtual Control Pages	105
8.10.1 Virtual Buttons	105
8.10.2 Virtual String Regions	105
8.10.3 Virtual Shaft Encoders	106
8.10.4 Virtual Button Sets	106
8.10.5 Virtual Edit Strings	106

1. Introduction

RollPod Designer's main function is to create and download custom configurations for RollPod Configurable Control Panels, IQGPI modules and Luna Router Control Panels.

RollPod Designer has two secondary functions:

- To provide download of custom configurations created by the SPI and GPI configurations
- To provide custom template downloads for SPI modules.

1.1 System Requirements

RollPod Designer requires:

- Microsoft Windows 7, Windows XP, Windows 2000, or Windows Vista.
- Sun™ Java runtime version 1.6.0_18 or later.
- RollPod/GPI with firmware v5.13 or later.

Note: There are two board variants -1A and 2Y. The 1A board is not supported.

1.2 Installing RollPod Designer

RollPod Designer is installed as part of the RollCall Suite using a Windows installation executable.

To install the RollPod Designer software:

- Double click on the installer file, and then follow the on-screen instructions.

The default installation location of RollPod Designer is:

- C:\Program Files\SAM\RollCall Suite\Pod Designer

For more information about the installation process, refer to **RollCall Suite: Introduction**.

1.3 Overview

RollPod Designer is a configuration tool used to program RollPods, GPI modules and Luna Router Control Panels. When a RollPod or Luna is delivered from the factory, it has no functionality. Similarly, GPI modules have very limited functionality. RollTrack commands from other ports can be used to activate an IQGPI module's output ports but, beyond that, they have no functionality. To unlock the power of these devices, first program them to do something useful – this program is known as a configuration.

1.3.1 1U RollPods

There are five models of 1U RollPod, 8 button, 10 button, 16 button, 18 button and 40 button. The buttons are illuminated press buttons and are referred to as hard buttons.

Note: Hard buttons do not support soft labeling. The RollPod manual describes how to insert acetate labels. 1U RollPods, 3U RollPods and the Luna LED panels require acetate labels. The Luna LCD panels have soft labeling.

1.3.2 3U RollPods

There are two models of 3U RollPods:

- 3U-12: 8 soft buttons, 12 hard buttons, 4 shaft encoders, and an LCD display screen.
- 3U-16: 8 soft buttons, 16 hard buttons, 2 shaft encoders, and an LCD display screen.

1.3.3 GPI Modules

The supported GPI types are the GPI-12 Input/Output (IQGPI01/IQCGPI-B-R), GPI-12 Output Only (IQGPI02, IQGPI03, IQGPI04), and the GPI-23U Input/Output(IQGPI00).

1.3.4 Luna Router Control Panels

These panels can be configured as router control panels or as RollPods (or both). These are 1U and 2U panels with either LED or LCD buttons.

The Luna panels provide:

- RGB button color
- Ethernet connectivity

The LCD panels support soft button labelling.

2. General Concepts

This section provides useful background information.

2.1 RollPod Controls

2.1.1 Hard Buttons

On a RollPod, each control can provide a function and indicate an output state reflecting the status of the control.

Each output state has its own user definable style, defined by a combination of:

- Color (Green, Orange, or Red)
- Brightness (Dim or Bright)
- Flashing (Flashing or Solid)

Additionally, a style can be defined as off.

Note: Luna panels support full RGB color.

2.1.2 Soft Buttons (3U RollPods only)

Soft buttons, available on 3U RollPods, can provide the same functions as hard buttons, as well as Take and Cancel functions, which must be linked to a shaft encoder. Soft button labels display on the LCD display screen.

Soft buttons can only display two output states: **Selected** or **Unselected**.

2.1.3 Shaft Encoders (3U RollPods only)

Shaft encoders, available on 3U RollPods, are used to scroll through a range of specified values. For example, shaft encoders can be used to adjust values that are controlled by a slider bar on the control template. Shaft encoder labels appear on the LCD display screen. Shaft encoders can have Take and Cancel functions associated with them (this is not required).

Shaft encoders can display **Selected**, **Unselected** and **Error** states.

2.2 GPI Ports

GPI output ports can only exist in one of two states - **Open** or **Closed**. The state can be observed by means of logging or control templates.

2.3 Functions

Every RollPod control has a function. The function determines what the control does. A control that does not do anything is given an 'unused' function. Functions include page and channel selection (which apply to the RollPod unit or GPI module only) among others.

The Checkbox and Radio Button functions are referred to as *Remote Functions*. They are used to control functions on a remote unit, such as an IQ module. For example, a Radio Button configured to select a specific Input on a module.

For further information, see Functions on page 52.

2.4 Pages

Pages are used to group functions and allow the same physical control to be given different properties and behaviors at different times or in different contexts. For example, a RollPod can be set up so that all of the video settings it controls are on one page and all of the audio settings it controls on another. The physical controls on the RollPod have different functions depending on the selected page.

On a RollPod, each hard button can either be defined as a static button or a page-specific button.

- When defined as a static button, a button always has the same properties and behavior regardless of which page is selected.
- When a button is defined as a page specific button, it can change its properties and behaviors, depending on which page is currently selected.

GPI ports, soft buttons, and shaft encoders are always page specific.

2.5 Categories

Remote functions need to connect to an actual RollCall unit. This is done by means of a category. Categories define the units that the RollPod connects to, and are associated with compatible commands at a specific address or group of addresses. Often categories are associated with units of the same type, but this is not necessarily the case.

A category has the following properties:

- Name - a user assigned name, unique to each category, used to reference it
- Default ID - the RollCall unit ID of the target unit (for information only)
- CmdSet - the RollCall command set version (for information only)
- Description - any descriptive text about the category
- Type - single channel, multi channel or dynamic channel
- Address - the address of the RollCall unit, for single channel
- Addresses - a list of RollCall addresses, for multi channel
- IP index - this is defined by the 'Number of IP connections' global property (Ethernet enabled models only)

2.6 Channels

A Category can be single channel, multi channel, or dynamic channel.

- Single channel categories refer to a single RollCall unit. For a single channel category, enter the RollCall address of the unit.
- A multi channel category refers to more than one RollCall unit and, therefore, has more than one RollCall address associated with it. Supply the name of the category to a remote function, just as for a single channel category. Which of the addresses associated with the category is used depends upon the currently selected channel, as specified by the channel select function. For further information, see Channel Select on page 54.
- A dynamic channel category refers to more than one RollCall unit but the addresses do not need to be defined in advance. They are supplied by a remote value from another category known as the source category. A source category must be a single channel type.

Note:

- A blank address for a single channel category is regarded as a bad address at runtime, and any associated buttons go to the error state. If a multi channel category has a blank address for the currently selected channel, this is considered legal, and does not cause an error condition.
- Units referred to by a multi channel or dynamic channel category, do not have to be of the same type, but they should have compatible command sets for the commands used in the configuration.

In addition to having a numeric index, each channel can also be named. This is useful in multi-channel configurations on 3U RollPods where the channel name can display in a string region on the LCD display screen.

Fig 1. illustrates the link between remote functions, categories and select.




Fig 1. Relationship Between Remote Functions, Categories, and Channels

All addresses must be specified with respect to the RollPod or GPI where the configuration is downloaded. The easiest way to ensure this is to always make a network connection to a gateway on the same local net as the RollPod or GPI.

3. RollPod Designer User Interface




Fig 2. RollPod Designer User Interface

The RollPod Designer GUI has five main components:

- **The Menu** - the menu bar at the top of the window provides access to most of the Designer's functionality.
- **Toolbar** - The toolbar provides quick access to the most commonly used menu functions.
- **Network View** - The network view consists of two tabs. The Network tab displays the current RollCall network, if connected. The Cached Units tab displays any units previously connected, and their templates.
- **Config View** - The config view displays any open configurations.
- **Remote View** - The remote view displays any open templates and menu sets for units that can be controlled by means of a RollPod, Luna or GPI.

The Toolbar can be repositioned to any side of the main window by dragging its grab handle to the desired side. It can also be made to float freely in front of the window by dragging it to the middle of the window.

The relative size of the Network, Config and Remote views can be adjusted using the splitter bars.

3.1 Drag and Drop Support

One of RollPod Designer's key user features is drag and drop support. There are several tasks that support drag and drop, including:

- When connected to a RollCall Network, units can be dragged from the tree onto a configuration view to provide category addresses (when in edit mode) or target addresses (when in download mode).
- Controls from the template remote view or command list remote view can be dragged onto controls or GPI ports in the Config model view - assigning the command to the button or port.

If there is not a suitable category available, the Designer automatically creates one.

- Controls in the Config model view can be moved by drag and drop.

3.2 File Menu Options

The File menu provides options to create new configurations, open existing configurations, and save configurations.




Fig 3. RollPod Designer Menu

3.2.1 Create a New Configuration

To create a new configuration:

1. From the **File** menu, select **New**.

Alternatively, click the **New** toolbar button.

2. In the window that displays, choose the type of RollPod, Luna or GPI for the configuration and then click **Create**.

3.2.2 Open an Existing Configuration

To open a previously saved configuration, from the **File** menu, select **Open**. In the window that displays, navigate to and select the file to open.

Alternatively, click the **Open** toolbar button.

3.2.3 Close the Current Configuration

To close the current configuration, from the **File** menu, select **Close**. If there are any unsaved changes to the configuration, a prompt displays to save the configuration before it closes.

Alternatively, click the **x** in the Config view tab.

3.2.4 Save the Current Configuration

There are two options for saving the current configuration:

- Click **Save** to save the current configuration. The first time a configuration is saved, a prompt appears to enable the user to enter the name and file path.

Alternatively, click the **Save** toolbar option.

- Click **Save As** to save the current configuration with a new name or file path.

3.2.5 Convert a Configuration to a Different RollPod Type

A new configuration can be created based on the current one, but for use with a different model of RollPod, Luna or GPI. For example, a RollPod cannot be converted to a GPI or vice versa.

To convert a configuration:

1. From the **File** menu, select **Convert**.

Alternatively, click the **Convert** toolbar button.

2. In the window that appears, select the model to convert to and then click **Convert**.

Note: Some controls are lost when converting to a type with fewer physical controls.

3.2.6 Exit RollPod Designer

To exit the RollPod Designer application, from the **File** menu, select **Exit**. If there are unsaved changes to any configurations, a prompt displays to save the configuration before the application closes.

Note: The application cannot close if there are any downloads in progress.

3.3 Edit Menu Options

RollPod Designer has a standard set of edit menu functions: **Undo**, **Redo**, **Cut**, **Copy**, and **Paste**. All of these functions are available either under the **Edit** menu or from the toolbar.

3.4 RollCall Menu Options

The options in the **RollCall** menu deal with the Designer's connection to the RollCall network:

- Connect to a RollCall network.
- Download configurations to RollPods, Lunas or GPIs.
- Perform packet traces to diagnose communication problems.

3.5 Help Menu Options

The **Help** menu comprises two options:

- **View Manual** displays this manual.
- **About** displays a dialog that shows information about the RollPod Designer release that is installed.

4. Network View

The Network view consists of two tabs:

- The Network tab - this displays the RollCall network, similar to the RollCall Control Panel.
- The Cached units tab, - this provides a list of all unit types for which cached templates and menu sets are available.

Note:

The Network view is discussed in more detail in the RollCall Control Panel Operator's manual.

4.1 Connecting to a RollCall Network

From the **RollCall** menu, select **Network**.

1. Alternatively, click the **Network** toolbar button.

The **Build Network** dialog box appears.




Fig 4. Build Network Dialog Box

2. Enter the IP address of the required RollCall network. The default communication port is 2050. To use a different port, enter the address as *ipaddress@port*.

Connect to the same local net as the RollPod or GPI.

Note:

Use the drop down list to select the IP address from a list of addresses which the RollPod Designer has previously connected to successfully.

3. Click **OK**.

4.2 The Network Tab

The Network tab displays the current RollCall network in a tree view, similar to that displayed by the RollCall Control panel.




Fig 5. Network Tab

4.2.1 Discover Network - all units

The Discover Network - all units button (the large binoculars) polls the entire RollCall Network and gathers information about everything that is connected to it. Depending on the size of the RollCall network, this process can take several minutes to complete.

If required, the discovery process can be interrupted by clicking the **Cancel** button while the discovery process is running. After a network has been discovered, it displays in the network tree fully expanded.

4.2.2 Discover Network - gateways only

The Discover Network - gateways only button (the small binoculars) polls the RollCall Network tree and gathers information down to the Gateway level. Anything below the Gateway level must then be discovered by manually expanding the relevant Gateways. This option does not take as much time as Discover Network - all units.

As with the 'all units' option, this action can be canceled while the discovery process is running. Similarly, when the discovery process is complete, the network tree displays in the expanded view.

4.2.3 Expand Tree

This button fully expands all of discovered network components in the view. Note that before a network node can be expanded, it must first be discovered as described previously in this section.

The Expand Tree button does not perform any function with regard to network discovery. Its only purpose is to change the visual representation of the network tree view.

4.2.4 Collapse Tree

This button fully collapses the network view. Note that any units that have already been 'discovered' remain so for the remainder of the currently connected session.

4.2.5 View

This toolbar menu item is used to specify additional information about the units in the network view. When the **View** button is clicked, the user can decide to display any or all of the following:

- Unit Address
- Unit Type
- Unit Version

4.2.6 Contextual (right-click) Menus

Each controllable unit in the network tree has an associated pop-up menu. To access this menu, right-click on a unit. The menu options that display depend upon the type of unit and are noted in the following table.

Menu Selection	Description	Available for Unit Type
Open Template	Opens the template and menu set of the unit in a new tab in the remote view. Double-clicking on a unit also opens its template.	All controllable units
Download Config	Switches the current configuration from edit mode to download mode and adds the unit to the list of download targets.	RollPods, Lunas and GPI modules that are compatible with the current configuration
Extract Config	Reads the configuration currently on the unit and opens it in a new config tab.	RollPods, Lunas and GPI modules
Download Setup	Downloads the setup file to the unit. The file must have been created by either the SPI or GPI configurator.	IQCGPI, IQCSPI and IQSPI00 modules
Download Template	Downloads a template zip file to the unit.	IQCSPI and IQSPI00 modules
Download Custom Config	Downloads a configuration that has been created outside of the RollPod Designer. The configuration files can either be read from a zip file or a directory. This is an advanced feature intended for expert users.	All controllable units.
Extract Custom Config	Extracts a custom configuration from a unit. The custom configuration is saved as a zip file to the local filing system, in a location chosen by the user.	All controllable units that have been programmed with a custom configuration.

Table 1. Contextual Menus

4.3 The Cached Units Tab

The cached units tab provides a list of all the unit types for which there are cached templates and menu sets.




Fig 6. Cached Units Tab

Whenever a template and menu set are downloaded from a unit, they are stored locally in the template and menu caches. Once cached, it is no longer necessary to have a live connection to a unit in order to view the template. Double-clicking on an entry in the list opens its template and menu set in a new tab in the remote view.

The cache list is arranged as a table with three columns:

- **Unit Type** - the RollCall unit type.
- **Unit ID** - the RollCall unit ID (unique for each type).
- **CMD Set** - the command set version (one unit type may have more than one command set version).

The cached list can be sorted on any column by clicking on the column header. To open a unit template, either double-click on its entry in the table or right-click on it and select **Open Template**.

5. Remote View

The remote view provides easy access to a unit's controls for the purpose of assigning them to remote functions.




Fig 7. Remote View

When displayed in the remote view, each unit has its own tab. Each tab displays the unit's template and menu set in a split view (template on the left and the menu set on the right). The relative sizes of the template and menu set views can be adjusted by means of the splitter bar.

In the remote view, the template is not live, as it would be in the Control Panel. Therefore, it is not possible to change values on a remote unit.

When a template control is clicked, its corresponding menu entry is selected in the menu set. The menu entry provides information that is required to make a connection.

Note:

A right click in the template control area displays the complete list of template controls. Click the appropriate radio button to select the template control.

The menu set appears as a table with the following columns:

Page	The name of the template page on which the entry appears. This can be blank if it does not appear in the template.
Group	The name of the group within the template page. This can be blank if it does not appear in the template or if it is not in a group.
Name	The name of a command.
Command	The command number.
Style	<p>The type of menu entry. This states whether the entry represents a single value, a bi-value, a range of values or a string value:</p> <ul style="list-style-type: none"> CM_BUTTON: Single value. The value is given by Min. CM_CHECKBOX: Bi-value. The On value is given by Min and the Off value is given by max. CM_NUMBER: A range of values. CM_HGRAPH: A range of values. CM_VGRAPH: A range of values. CM_HLEVEL: A range of values. CM_VLEVEL: A range of values. CM_DISPLAY: A non-editable string value. CM_EDITSTRING: An editable string value.
Min	The minimum value.
Max	The maximum value.

Table 2. Remote View - Menu Set

Step	The amount of each increment or decrement. Applies to type CM_NUMBER.
Scale	Is used to convert between the scale of the displayed value and the internal value. Applies to type CM_NUMBER.
Format	Is used to format the displayed value. Applies to type CM_NUMBER.

Table 2. Remote View - Menu Set

The menu set can be sorted on any column by clicking on the column header.

Template controls and menu entries support drag and drop. They can be dragged from the Remote View and dropped onto a control or GPI port in the Config View, automatically creating a remote connection. They can also be dragged onto the property sheet for an existing remote function and they are added to the list of remote connections.

The style of the menu function determines whether the control becomes a checkbox or radio button (unless a function is already assigned).

6. Config View

The config view displays all of the currently open configurations. To switch between open configurations, click the tabs at the top of the view.

There are two display modes in the config view - edit mode and download mode.

When a new configuration is created, or an existing configuration is opened, it appears in edit mode.

6.1 Edit Mode

Edit mode provides a split view of the configuration. On the left of the view is the Model View tab (default) displaying an image of the RollPod, Luna or GPI module, or the Virtual Controls tab (if that tab is selected), and on the right is the property sheet view of the configuration.

Both the Model View and Virtual Controls tabs have 'break-out' buttons allowing them to be floating windows rather than integral to the RollPod Designer window.

To 'break-out' a tab view:

- Click on the  button on the tab.

Closing a floating window returns it to its position within the RollPod Designer Window. Switch between the Model View and Virtual Controls by clicking on the relevant tab.

6.1.1 Model View

The model view tab displays a graphical representation of the RollPod, Luna or GPI module being configured.




Fig 8. RollPod 3U-12 Module in the Model View Tab

Note: If the model view is too large to fit into the available space, scroll bars automatically appear.

6.1.1.1 Contextual Menus

Each RollPod control or GPI port has a contextual menu that can be viewed by right-clicking on it.




Fig 9. Model View Contextual Menus


The menu options are as follows:

Replicate	Copies the control/port properties to all pages. Applies to controls and ports. Note that the replicate function overwrites any assigned properties on other pages.
Delete	Sets the Function property to unused and clears the label property.
Cut	Copies all of the properties to the clipboard and deletes them from the control or GPI port.
Copy	Copies all of the properties to the clipboard.
Paste	<p>Pastes the contents of the clipboard to the selected control or GPI port.</p> <ul style="list-style-type: none"> For hard buttons, paste does not change the context property. That is, it does not change a static button to a page-specific button or vice versa. For GPI ports, paste does not change the static polarity and IOType properties. It is not possible to copy between different control types.
New String Region (3U RollPods only)	<p>A string region is an area of read-only text that is shown on the display screen. The text displayed in a string region can either be static display text or a system generated information field reporting on certain parameters such as the current channel number.</p> <p>For further information, see String Regions (3U RollPods Only) on page 51.</p>

Table 3. Contextual Menu Items

6.1.1.2 The Display Window (3U RollPods Only)

3U RollPods have an LCD display window that can display the label control properties, states and values of soft buttons and shaft encoders. The LCD display screen can also display string regions. For further information, see String Regions (3U RollPods Only) on page 51.



A screen region is associated with each control.

Click in any screen region to select it. Screen regions are always selected with the control with which they are associated (click either region or control to select).

Reposition and resize display areas by selecting the area and dragging the edges. Positions remain the same on all pages, except for shaft encoder labels, which have a slightly different behavior. For further information, see Shaft Encoder Properties on page 44.

Note: The space on the RollPod LCD display screen is limited. It is advisable to keep labels short to avoid truncation.

6.1.1.3 Selected Controls

To select a RollPod control or GPI port, click on it. When a control or GPI port is selected, its property sheet appears. For further information, see Property Sheet View on page 32.

Global
Page
Control
Tally
String
Search

Hard Button 1, Page 1

Context	Page-specific
Selected Style	Default
Unselected Style	Default
Inconsistent Style	Default
Error Selected Style	Default
Error Unselected Style	Default
Tally To Use	<default>
Dynamic Label	<none>
Label	ANG 1
Function	Radio Button

Radio Button properties:

Mode	Read-write
------	------------

Connection 1
Remove

Connected To	Remote
Name	VTR2*
Command Number	8
Category	IQBRT8
Value Type	Fixed
Value	0
Write Delay	0
Read Delay	0

Add New Connection

Fig 10. Property Sheet

Controls and GPI ports in the Model View are color-coded to indicate if they are selected, if they have an assigned function, and (in the case of GPI ports) whether they are configured as an input or an output.

Model View colors:

- A selected control or GPI port has a cyan border.
- An unselected control has a green border when it has an assigned function.
- An unselected GPI port has a green border when it has an assigned function and is configured as an output port.
- An unselected GPI port has a yellow border when it has an assigned function and is configured as an input port.
- String regions have a magenta border.
- All unused controls and ports have a gray border.

6.1.2 Virtual Controls

The Virtual Controls tab is used to define and collate remote output controls, to be used with RollPods and other units on a network via the unit templates in RollCall.

All virtual controls display on the relevant virtual pages in the unit template. A separate template page for each of the tabs on this screen is allocated dynamically from the content of the tabs. Empty tabs do not create the associated template pages.



Fig 11. Virtual Controls Tab

For further information on virtual controls, see “Virtual Control Properties” on page 47.

6.1.2.1 Contextual Menus

Each control has a contextual menu that can be viewed by right-clicking on a control.




Fig 12. Virtual Controls Contextual Menu

The menu options are as follows:


Add	Adds a new control to the end of the list. The Add function is also available by right-clicking on the table header in any of the tabs.
Insert	Inserts a new control above the selected one.
Delete	Deletes the control.
Cut	Copies the control to the clipboard, sets the Function property to Unused, and clears the label.
Copy	Copies all of the properties to the clipboard.
Paste	<p>Pastes the contents of the clipboard to the selected control or GPI port.</p> <ul style="list-style-type: none"> For GPI ports, paste does not change the static polarity and IOType properties. It is not possible to copy between different control types.

Table 4. Contextual Menu Items

Adding controls is similar to adding controls in the model view. However, not all controls are available as virtual controls.

6.1.3 Tallies

This tab is present for all models except GPIs. A tally is used to dynamically calculate a button style and/or a dynamic string value based on a set of rules.



Tally	Label	Rule Count
Tally 1	HB1 Tally	4
Tally 2	HB2 Tally	4
Tally 3	HB3 Tally	4
Tally 4	HB4 Tally	4
Tally 5	HB5 Tally	4
Tally 6	HB6 Tally	4
Tally 7	HB7 Tally	4
Tally 8	HB8 Tally	4
Tally 9	HB9 Tally	4
Tally 10	HB10 Tally	4
Tally 11	HB11 Tally	4
Tally 12	HB12 Tally	4
Tally 13	HB25 Tally	4
Tally 14	HB26 Tally	4
Tally 15	HB27 Tally	4
Tally 16	HB28 Tally	4
Tally 17	HB29 Tally	4
Tally 18	HB30 Tally	4
Tally 19	HB31 Tally	4
Tally 20	HB32 Tally	4
Tally 21	HB33 Tally	4
Tally 22	HB34 Tally	4
Tally 23	HB35 Tally	4
Tally 24	HB36 Tally	4

Fig 13. Tallies tab

A tally can have zero or more rules associated with it. Each rule is a test of a Remote or a Local value. Each rule can have a button style and a string value associated with it.

Calculation of a tally starts with rule 1, then rule 2 etc...

The calculation stops when a rule is found to be true. If no rules are found to be true, the default style and string value are used.

The context menu for this tab is the same as the Virtual Controls context menu.

Selecting a Tally causes the Tally Properties tab to appear:

GlobalPageControlTallyStringSearch

Tally 3

Default Style	Off
Display String	
Label	

Rules

Rule 1

Remove

Style	Off
Display String	
Connected To	Remote
Name	
Command Number	0
Category	
Value Type	Fixed
Value	
Read Delay	0

Add New Rule

Fig 14. Tallies properties

The following properties are available:

Fixed Display	Displays a user entered string literal.
Current Channel Index	Displays the current channel's index (from 1 to the number of channels).
Current Channel Name	Displays the current channel's name (these are user defined).
Category Status	The available categories are: Initializing; Connection OK; Connection Failed.
Remote Connection	Displays a remote command value, for example, the current brightness level set on a particular module.
Local Connection	Displays a local property value.
Tally	Displays a string that corresponds to the matching condition in the tally.

Table 5. String properties

6.1.4 Strings

This tab enables the user to create custom strings for use with soft buttons on LCD models.

Model ViewVirtual ControlsTalliesStrings

String	Label	Function
String 1	From Tally	Tally
String 2	Channel Index	Current Channel Index
String 3	Channel Name	Current Channel Name
String 4	Cat Status	Category Status
String 5	From Remote	Remote Connection
String 6	From Local	Local Connection
String 7	Lock	Tally

Fig 15. Custom strings

Clicking on a string, sets properties which assign a function to the string.

The context menu for this tab is the same as the Virtual Controls context menu.

The following properties are available:


Fixed Display	Displays a user entered string literal.
Current Channel Index	Displays the current channel's index (from 1 to the number of channels).
Current Channel Name	Displays the current channel's name (these are user defined).
Category Status	The available categories are: Initializing; Connection OK; Connection Failed.
Remote Connection	Displays a remote command value, for example, the current brightness level set on a particular module.
Local Connection	Displays a local property value.
Tally	Displays a string that corresponds to the matching condition in the tally.

Table 6. String properties

6.1.5 Lua Script

This is only available for Luna panels.

The popular open source Lua scripting language can be used to program custom logic for RollPods that support this feature.



The RollPod Designer includes a fully featured Lua editor and validator.

To allow a Lua script to interact with a RollPod, a special Lua API has been provided.

The RollPod Lua API is a set of functions and a set of standard watch variable identifiers.

A description of the API functions can be accessed by clicking on the Functions button on the right edge of the editor.

6.1.5.1 Functions

Function	Description
pod.addParam (catIndex, commandNumber, wv)	Bind the specified watch variable to the command number of the given category. N.B. The watch variable must not already be in use.
pod.bind (wv, lua_function)	Set a callback function for a watch variable. It will be called whenever the watch variable changes.
pod.bindAnyButton (lua_function)	Set a callback function to be called when any button is released.
pod.bindAnyButton (type, lua_function)	Set a callback function to be called when any button is either pressed or released. type: 0=press, 1=release.
pod.bindAnyButtonStyle (lua_function)	Set a callback function to be called when any button changes to any style.
pod.bindAnyButtonStyle (styleIndex, lua_function)	Set a callback function to be called when any button changes to the given style.
pod.bindButton (buttonIndex, lua_function)	Set a callback function to be called when the given button is released.
pod.bindButton (buttonIndex, type, lua_function)	Set a callback function to be called when the given button is either pressed or released. type: 0=press, 1=release.
pod.bindButtonStyle (buttonIndex, lua_function)	Set a callback function to be called when the given button changes to any style.
pod.bindButtonStyle (buttonIndex, styleIndex, lua_function)	Set a callback function to be called when the given button changes to the given style.
pod.bindParam (catIndex, commandNumber, lua_function)	Set a callback function to be called when the value of the command number of the given category changes.
pod.bindShaftEncoder (buttonIndex, lua_function)	Set a callback function to be called when a rotary button is turned. The callback will receive the rotary button index and the delta value. The delta will be positive or negative depending on the direction of turn.
pod.createTimer (type, startW, stopW, targetW, ms)	Create a Delay or Repeat timer. type=0 for Repeat; type=1 for Delay. N.B. startW, stopW and targetW must not already be in use.
pod.executeScript (filename)	Execute the specified Lua script.
pod.get (wv)	Get the mode, numeric and string values for a watch variable.
pod.getCategoryWV (catIndex, type)	Get the watch variable associated with a category. type: 0=Address, 1=Status, 2=Description.
pod.getConfigNum (sectionName, keyName)	Read a numeric value from the rollpod config file.
pod.getConfigStr (sectionName, keyName)	Read a string value from the rollpod config file.
pod.getIpShareWV (ipIndex, type)	Get the watch variable associated with an IP share connection. type: 0=Address, 1=Status, 2=Description.
pod.getNum (wv)	Get the numeric value for a watch variable.
pod.getNumButtons ()	Get the number of physical buttons on the RollPod.
pod.getNumIpShareConnections ()	Get the number of IP share connections.
pod.getParam (catIndex, commandNumber)	Get the mode, numeric and string value of the command number of the given category.
pod.getParamNum (catIndex, commandNumber)	Get the numeric value of the command number of the given category.
pod.getParamStr (catIndex, commandNumber)	Get the string value of the command number of the given category.
pod.getStr (wv)	Get the string value for a watch variable.
pod.getStringWV (stringIndex)	Get the watch variable associated with a String value.
pod.getTallyWV (tallyIndex, property)	Get the watch variable associated with the specified tally's property. property: 0=style, 1=display.
pod.getVirtualWV (type, index, property)	Get the watch variable associated with the specified virtual control's property. type: 0=Button, 1=String, 2=Edit String, 3=Shaft, 4=Button Set property: 0=name, 1=value, 2=log control, 3=state, 4=event Note: state and event properties only apply to virtual buttons.
pod.refreshButtonState ()	Refresh all buttons to their stored internal states.
pod.set (wv, number, string)	Set a watch variable to a new numeric and string value.
pod.set (wv, number)	Set a watch variable to a new numeric value.
pod.set (wv, string)	Set a watch variable to a new string value.
pod.setButtonStyle (buttonIndex, styleIndex)	Set the style of the given button.
pod.setButtonText (buttonIndex, text)	Set the text of the given button. Only applies to LCD buttons.
pod.setCategoryAddress (catIndex, rollCallAddress)	Set the RollCall address for the given category.
pod.setParam (catIndex, commandNumber, numeric, string)	Set the numeric and string value of the command number of the given category.
pod.setParam (catIndex, commandNumber, numeric)	Set the numeric value of the command number of the given category.
pod.setParam (catIndex, commandNumber, string)	Set the string value of the command number of the given category.
pod.startTimer (timerId, lua_function)	Start the specified timer.
pod.startTimer (timerId, timeout_ms, lua_function)	Start the specified timer with a new timeout value.
pod.stopTimer (timerId)	Stop the specified timer.
pod.version ()	Returns major and minor version numbers of the Pod API.
print (message)	Print message to the console window.

Note:

The following functions may not be supported by older versions of RollPod code:

pod.getStringWV(index)

pod.getTallyWV(index, property)

pod.getVirtualWV(type, index, property)

getButtonLogWV(index)

A description of the standard API watch variables can be accessed by clicking on the Variables button on the right edge of the editor.

6.1.5.2 Variables

Variable	Description
WW_PANEL_LOCK	Panel lock watch variable. 0=unlocked; 1=locked.
WW_PAGE_SELECTED_INDEX	Page index watch variable.
WW_PAGE_SELECTED_NAME	Page name watch variable.
WW_CHANNEL_SELECTED_INDEX	Channel index watch variable.
WW_CHANNEL_SELECTED_NAME	Channel name watch variable.

Some of the functions take a style index as a parameter.

The currently defined button styles and their index values can be accessed by clicking on the Button Styles button on the right edge of the editor.

6.1.5.3 Button Styles

Index	Color	Flashing	Swatch
0	Off		
1	Dim Green		
2	Dim Green	Flashing	
3	Bright Green		
4	Bright Green	Flashing	
5	Dim Orange		
6	Dim Orange	Flashing	
7	Bright Orange		
8	Bright Orange	Flashing	
9	Dim Red		
10	Dim Red	Flashing	
11	Bright Red		
12	Bright Red	Flashing	

Some of the functions take a watch variable as a parameter.

This could be one of the standard variables, in which case, the associated identifier can be used.

If not, then a list of all allocated and free watch variable numbers can be accessed by clicking on the Watch Map button on the right edge of the editor.

6.1.5.4 Watch Map

230 - 356	FREE
357	Log Buffers use
358	Log RAM use
359	Min Buffers state
360	MinBuffers percentage free
361	Min Buffers free
362	Buffers state
363	Buffers percentage free
364	Buffers free
365	RAM state
366	RAM percentage free
367	RAM free
368	Compile Time
369	Compiler Version
370	Uptime
371	Current Time
372	Current Date
373	Restart Time
374	Comms History
375	Comms History Reset
376	Comms Changes
377	Comms Reset Time
378	FREE
379	Page Index

A script can be enabled or disabled by using the Use Script checkbox above the editor's toolbar. Next to this checkbox is the name of the Lua script file. If the file name is preceded by '.' it signifies that the file location is relative to the location of the configuration file.

A script must be downloaded to the RollPod before it will take effect. This is done on the Download page.

6.2 Pages

Pages are used to allow the same physical control to be given different functions.

On a RollPod, each hard button can either be defined as a static button or a page-specific button.

- When defined as a static button, a button always has the same input function and the same set of output states regardless of which page is selected.
- When a button is defined as a page specific button, it can change its input function and set of output states, depending on which page is currently selected.

For example, a RollPod can be set up so that all of the video settings it controls are on one page, and all of the audio settings it controls on another.

A new configuration is created with just a single page. Each page has its own tab in the model view.




Fig 16. Configuration Page

The page tab shows the page index and the name of the page. The page index always starts at 1 and the default name for the first page is Main.

Each page tab has a contextual menu that can be viewed by right-clicking on it. The menu options are as follows.

Add New Page	Creates a new page with all controls or GPI ports unused.
Copy Page	Creates a new page with all hard buttons or ports taking the properties of the current page.
Delete Page	Deletes the current page from the configuration. If there is only one page in the configuration, it cannot be deleted.

Table 7. Configuration Page

When a new page is created, the page index defaults to the next free index number, and the name defaults to No name. These values can be changed if desired. For further information, see Page Properties on page 41.

In configurations with more than one page, page-specific hard buttons are identified by a <<Page N>> displayed above the button label (see Fig 17.)




Fig 17. Buttons - Page Labels

6.2.1 Cutting and Pasting Pages Between Configurations

An entire page can be cut and pasted from one RollPod configuration to another. This action copies all of the page-specific controls from a page in the source configuration and pastes them to a page in the destination configuration.

Note: Static hard buttons are not included when pasting to the new page.

To cut and paste all controls on a page:

1. Open both configurations.
2. Click the page tab of the source configuration and then click the **Cut toolbar** button.
3. Switch to the destination configuration and click on the destination page.
4. Click **Paste**.

All of the page-specific controls on the source page are copied to the destination page.

Note: If the destination page has static buttons on it, a message displays prompting to convert them to page specific.

6.3 Property Sheet View

The property sheet view has six tabs.

Global	The global properties are those that apply to the configuration as a whole.
Page	The page properties are those that apply to the current page only.
Control	The control properties are those that apply to the currently selected control.
Tally	This page enables the user to dynamically calculate a button style and/or a dynamic string value based on a set of rules.
String	This page enables the user to create custom strings for use with soft buttons on LCD models.
Search	The search function is used to search for specific controls.

Table 8. Property Sheet Tabs

6.4 Global Properties

Global properties apply to the configuration as a whole.

Global Properties

Show Configuration Description

Lock type	Panel
Number of Channels	4
Short Description	New Config
Command Set Version	0
Auto-lock timeout	0
Default page	1

☐ Enable Router-follow

Category Table

Name	Default ID	CmdSet	Description	Type	Address
IQSYN22	538	21		Dynamic	See Dynami...
IQUDC00	430	24		Multi Chan...	See Channe...

Channel Table

Channel	Name	Page Association	IQUDC00
1	Channel 1	1	0000:10:02
2	Channel 2	3	0000:10:03
3	Channel 3	4	0000:10:04
4	Channel 4		0000:10:05

Dynamic Table

Name	Source Category	Source Command
IQSYN22		

Fig 18. Global Properties Tab

A detailed text description of what the configuration does can be added. The configuration description appears in the RollCall template.

To add a description:

1. Click **Show Configuration Description**.
2. Type, or edit, descriptive text in the dialog box.
3. Click **Save Description** (this button is only active when a change to the description is made).

Click **Hide Configuration Description** if it is not required on the Global Properties screen.

The global properties are:

Auto-lock timeout	The Auto-lock timeout feature specifies a value in seconds after which, if no button presses are detected, the lock is automatically set to On. Entering a timeout value of 0 seconds disables this feature. If auto-lock timeout is enabled, ensure that a lock function has been added. see Lock on page 55
Command Set Version	This is not currently used.
Target version	<p>This option applies to GPI and non-ethernet enabled RollPods. The target version is the version of software running on the RollPod/GPI.</p> <p>The values are:</p> <ul style="list-style-type: none"> • V5 • V6 • V6 Legacy Mode - the unit is running V6 (or above) but compile it as a V5. This is useful for existing configurations in order to preserve backwards compatibility. <p>Note: Ethernet enabled panels only run V6 software (or above).</p>
Default page	This optional feature allows RollPod to navigate to the designated page, if a total Comms failure is detected.
Number of Channels	<p>The number of channels for multi-channel categories.</p> <p>When the number of channels is set to more than 1, the Channel table is created and the Enable Router-follow option displays. see Enable Router-follow on page 39</p>
Number of IP Connections	<p>This option specifies the total number of permitted Ethernet connections. Each Ethernet connection can have more than one IP address associated with it and each of those IP addresses has an associated priority - primary, secondary, tertiary etc...</p> <p>For example, in the event that an Ethernet connection fails on its primary IP address, it automatically switches to using the secondary IP address.</p>
IP Priority Mode	<p>If an Ethernet connection switches to using its secondary IP address, this option sets the action to perform when the primary becomes active again.</p> <p>If the priority mode is set to on, it switches back to the primary address. If the priority mode is set to off, it remains on the secondary address.</p>
Short Description	A brief description of the configuration. This description fits in a RollCall string command and can be obtained remotely.
Number of Virtual Button Sets	Define the total number of virtual button sets required. Virtual button sets can also be added manually in the Virtual Controls tab.
Number of Virtual Buttons	Define the total number of virtual buttons required. Virtual buttons can also be added manually in the Virtual Controls tab.
Number of Virtual Shaft Encoders	Define the total number of virtual shaft encoders required. Virtual shaft encoders can also be added manually in the Virtual Controls tab.
Number of Virtual String Regions	Define the total number of virtual string regions required. Virtual string regions can also be added manually in the Virtual Controls tab.

Table 9. Global Properties

Number of Virtual Edit Strings	Define the total number of virtual edit strings required. Virtual edit strings can also be added manually in the Virtual Controls tab.
Lock type	<p>This specifies whether the lock type is:</p> <ul style="list-style-type: none"> Panel - when locked, disables all functions except for the lock function. Remote actions - when locked, disables only remote control functions but allows channel select and page navigation.
Number of Tallies	This is the number of currently configured Tallies. This option does not apply to GPIs.
Number of Strings	This is the number of currently configured Strings. This option only applies to Luna panels.
Default Selected Style	<p>With RGB color available, default global button styles make it easier to set the defaults for the entire configuration, therefore, avoiding the need to set the style for each individual hard button.</p> <p>This option applies to all buttons which are selected and their assigned function is not an error state. This option does not apply to GPIs.</p>
Default Unselected Style	This option applies to all buttons which are not selected and their assigned function is not an error state. This option does not apply to GPIs.
Default Inconsistent Style	This option applies to all buttons which have been changed by an external source and are not consistent. This option does not apply to GPIs.
Default Error Selected Style	This option applies to all buttons which are selected but there is an error (generally a communication error). This option does not apply to GPIs.
Default Error Unselected Style	This option applies to all buttons which are not selected and are in an error state (generally a communication error). This option does not apply to GPIs.
Unit Name	The name of the RollPod/GPI as it will appear on the RollCall network. This can also be configured using the unit's template.
Log server Name	The name of a RollCall log server to which you want the RollPod/GPI to send its log data. This can also be configured using the unit's template.
Default Preselect Off Style	This applies to a Checkbox hard button that is controlled by Take. Such a button will by default, change to this style when pressed, if the Take operation will turn it to the off state.
Default Preselect On Style	This applies to a Checkbox and Radio hard button that is controlled by Take. Such a button will by default, change to this style when pressed, if the Take operation will turn it to the on state.

Table 9. Global Properties

Example global properties

Short Description	New Config
Command Set Version	0
Number of Channels	2
Number of IP Connections	2
IP Priority Mode	On
Lock type	Panel
Auto-lock timeout	10
Default page	0
Number of Virtual Buttons	8
Number of Virtual String Regions	1
Number of Virtual Edit Strings	1
Number of Virtual Shaft Encoders	1
Number of Virtual Button Sets	1
Number of Tallies	2
Number of Strings	7
Default Selected Style	Custom "Blue"
Default Unselected Style	Custom "Light Blue"
Default Inconsistent Style	Dim Orange
Default Error Selected Style	Red Flashing
Default Error Unselected Style	Dim Red Flashing

Fig 19. Example Global Properties

For information on the Enable Router-follow option, see Enable Router-follow on page 39.

6.4.1 Category Table

Category definitions are global to the configuration and appear in the Category Table.

Category Table						
Name	Default ID	CmdSet	Description	Type	Address	IP Index
IQCSPI	127	1		Single Channel	0000:71:0F	
IQSYN30	526	10		Multi Channel	See Channel Table	
QUUDC10	543	13		Multi Channel	See Channel Table	
MC2000	629	1		Multi Channel	See Channel Table	
IQSYN00	349			Multi Channel	See Channel Table	
IQARC00	409			Multi Channel	See Channel Table	
MACH1	161			Multi Channel	See Channel Table	

Fig 20. Category Table

New category entries can be created automatically by dragging and dropping a template control or menu entry from the Remote View onto the Config View (the recommended method). Dragging and dropping a control or menu, adds the RollCall address into the table. Add other details manually in the appropriate fields.

For each entry select the category Type from the drop-down box:

- **Single Channel** —the RollCall Address appears in the table.
- **Multi Channel** —an extra column displays in the Channel Table allowing each channel to be setup. For further information, see Channel Table on page 37.
- **Dynamic Category** —the Dynamic table appears. For further information, see Dynamic Table on page 38.

IP Index column

The user can select from the range of IP Index values (as defined by the Number of IP Connections property).

For panels that support RollNet and Ethernet, leaving this column blank defaults to using RollNet. For panels that only support Ethernet, leaving this column blank is equivalent to selecting an IP Index of one.

6.4.2 Channel Table

The number of rows in the Channel Table, correspond to the number of channels. If the global property value for number of channels is changed, the number of rows in the Channel Table changes, as shown in Fig 21.

The screenshot shows the RollPod Designer interface. At the top, there are tabs for 'Global', 'Page', 'Control', and 'Search'. Below these is the 'Global Properties' section with a 'Show Configuration Description' button. A table lists various properties: Auto-lock timeout (0), Default page (0), Number of Channels (4), Short Description (New Config), Command Set Version (0), Lock type (Panel), Number of Virtual Button Sets (1), Number of Virtual Buttons (7), Number of Virtual Shaft Encoders (3), and Number of Virtual String Regions (2). Below this is a checkbox for 'Enable Router-follow'. Underneath is the 'Category Table' with columns: Name, Default ID, CmdSet, Description, Type, and Address. It lists categories like IQCSPI, IQSYN30, IQUDC10, IQSYN00, and 6028251-RC. At the bottom is the 'Channel Table' with columns: Channel, Name, Page Association, IQCSPI, IQSYN30, IQUDC10, and IQSYN00. It contains 4 rows of channel data. A line points from the 'Number of Channels' property to the Channel Table.

Channel	Name	Page Association	IQCSPI	IQSYN30	IQUDC10	IQSYN00
1	CER RX50	4	0000:70:01			
2	CER RX52	4	0000:70:02			
3	CER RX54	4	0000:70:03			
4	CER RX56	4	0000:70:04			

Fig 21. Channel Table

Category addresses must be entered in the format NNNN:UU:PP (Network:Unit:Port).

To delete a category, select it and then click the **Delete** key. RollPod Designer checks to see if the category is referenced anywhere. If it is, a warning message appears.

To rename a category, click on the name and enter a new name. All references are updated.

If a value is added to the Page Association column, then RollPod navigates to that page when the corresponding channel is selected.

When using a Mapped router association (see Enable Router-follow on page 39), an additional column appears, allowing definition of the router follow command that selects the appropriate channel.

The Channel Table can be exported as a tab delimited text file, enabling the table to be edited using a suitable application, saved and re-imported back.

Note: If using Microsoft Excel, the RollCall address fields must be imported as text fields, otherwise they cannot be edited properly.

Right-click in the Channel Table to display an Import/Export menu.

Note: When importing, the import file must be tab-delimited and match exactly to the existing channel table. The number of column and rows must be the same, and the category headers must match.

IP Index

The user can select from the range of IP Index values (as defined by the Number of IP Connections property).

For panels that support RollNet and Ethernet, leaving this column blank defaults to using RollNet. For panels that only support Ethernet, leaving this column blank is equivalent to selecting an IP Index of one.

Multi Channel Example:

If a unit is multi-channel, the addresses must be added to the Channel Table.

Channel Table										
Channel	Name	Page Association	Router Association	IQSYN30	IQUDC10	MC2000	IQSYN00	IQARC00	MACH1	IP Index
1	CER RX50	4	43	0000:70:01						
2	CER RX52	4	44	0000:70:02						
3	CER RX54	4	45	0000:70:03						
4	CER RX56	4	46	0000:70:04						
5	CER RX58	4	47	0000:70:05						
6	CER RX60	6	48				0000:50:01			
7	CER RX62	6	49				0000:50:02			
8	CER RX64	4	50	0000:70:06						
9	CER RX66	6	51				0000:50:03			
10	CER RX68	4	52	0000:70:07						
11	CER RX70	6	53				0000:50:04			
12	CER RX72	6	54				0000:50:05			
13	CER RX86	6	61				0000:50:06			
14	CER RX88	6	62				0000:50:07			
15	CER RX90	6	63				0000:50:08			
16	ASI DEC 01	6	10				0000:50:09			
17	ASI DEC 02	6	11				0000:50:0A			
18	WAS LN 32	4	31	0000:70:08						
19	ASI DEC 04	6	13				0000:50:0B			
20	ASI DEC 05	6	14				0000:50:0C			
21	DTC RX 30	4	33	0000:70:0A						
22	DTC RX 32	4	34	0000:70:0B						

Fig 22. Multi Channel Example

In this example:

Channels 1-5 are all IQSYN30 units, all in the same frame. They have all been given a channel name, and assigned a router association. The router association is the source (input) to the router. When a router-follow is applied, the destination (output) that is to be monitored is selected.

Channels 6 and 7 are IQSYN00 units in frame 50. The assigned inputs to the router are 48 and 49.

Further assignments can be seen in Fig 22.

6.4.3 Dynamic Table

If any of the categories are dynamic, the Dynamic Table appears.

The table has an entry for each dynamic category, including a dynamic category name, source category, and a remote command number that supplies the dynamic address.

A dynamic RollCall address can, optionally, include an IP Index.

For example, to specify an IP index of 2:

0000:08:01,2

If an IP index is present, it overrides the IP index in the Category table.

Category Table					
Name	Default ID	CmdSet	Description	Type	Address
IQSYN22	538	25		Dynamic	See Dynami...
IQUDC00	430	29		Multi Channel	See Channe...

Channel Table			
Channel	Name	Page Association	IQUDC00
1	Ch. 1	1	0000:08:01
2	Ch. 1 +1	1	0000:08:02
3	Ch. 2	2	0000:08:03
4	Ch. 3	4	0000:08:04

Dynamic Table		
Name	Source Category	Source Command
IQSYN22		

Fig 23. Dynamic Category Table

6.4.4 Enable Router-follow

The Enable Router-follow option applies only to multi-channel configurations. This option is used to set up a link between the current channel selection and a remote command.

- Select the **Enable Router-follow** checkbox. The following options appear:

<input checked="" type="checkbox"/> Enable Router-follow	
Router-follow Mode	Read-only
Command Number	0
Category	IQCSPI
Unmapped page	0
Router association	Zero-based

Fig 24. Enable Router-follow Options

Specify whether the **Router-follow Mode** is to be **Read-only** or **Read-write**. Read-only mode means that the RollPod channel selection follows the remote command but not vice-versa. Read-write enables the remote command to also follow the current channel selection.

Enter a **Command Number** (or alternatively, drag and drop the command from the template view). This defines the remote command.

This command number from the remote command is the output from the router. Fig 24. shows that output 1 (command number 2001) from the IQCSPI is monitored (this corresponds to output 1 on the router). The SPI card acts as a translator between the RollCall system and the router, as both operate on different protocols.

From the **Category** drop-down list, select a category. Every unit that has been input to the Category Table is listed. The selected category defines the remote unit and must be a single channel category.

Select a **Router Association** from the drop-down list. Either **Zero-based**, **One-based**, or **Mapped**.

Zero-based		One-based		Mapped	
Remote Value	Channel	Remote Value	Channel	Remote Value	Channel
0	1	1	1	201	1
1	2	2	2	202	2
2	3	3	3	435	3
3	4	4	4	587	4

Table 10. Router Association Examples

For a Mapped association enter the appropriate remote values into the Router Association column in the Channel Table. For further information, see Channel Table on page 37.

Note: When Mapped is selected, if a zero-based or one-based channel table has already been constructed, a prompt to compact the existing channels appears. Accepting this prompt removes all channels without any corresponding addresses, and remaining channels are automatically given router association values.

If required, define an **Unmapped Page** from the drop-down list, so that if the router-follow value is changed such that there is no corresponding channel, RollPod navigates to the unmapped page.

IQCSPI Example:

Fig 25. shows the interface for the IQCSPI config. Communication to the router is made through this imitation screen. The router has a 17 x 16matrix, so the card is configured to have the same. A connection is then made to the router via serial cable.




Fig 25. IQCSPI Matrix Screen

6.4.5 Ethernet table

This table contains information on IP addresses for panels which support Ethernet.

Ethernet Table			
IP Address	IP Index	Description	Priority
10.0.0.1	1	Studio A	1st
10.0.0.2	1	Studio A Fallback	2nd
10.0.0.10	2	Studio B	1st
10.0.0.20	2	Studio B Fallback	2nd

Fig 26. Ethernet Table

The priority is automatically calculated. It is based on how many IP addresses a connection has and where in the list the entry occurs.

For example:

10.0.0.1	IP Index = 1	Priority = 1st
10.0.0.2	IP Index = 1	Priority = 2nd

After reordering in the table, the priorities automatically change:

10.0.0.2	IP Index = 1	Priority = 1st
10.0.0.1	IP Index = 1	Priority = 2nd

Right click in order to manipulate the table entries. The options are:

- Move up
- Move down
- Insert
- Delete

6.5 Page Properties

The page properties apply to the currently selected page.

Page 4 Properties		
Name: Video - SYN30		
Hard Buttons		
Control	Label	Function
Hard Button 3	Y Gain	Radio Button
Hard Button 4	Black Level	Radio Button
Hard Button 5	Cb/Cr Gain	Radio Button
Hard Button 6		Unused
Hard Button 9	HOME	Page Navigation
Hard Button 10	Video - SYN30	Page Navigation
Hard Button 11	Audio - SYN30	Page Navigation
Hard Button 12		Unused
Hard Button 13		Unused
Hard Button 14		Unused
Hard Button 15		Unused
Hard Button 16	LOCK	Lock
Soft Buttons		
Control	Label	Function
Soft Button 1		Unused
Soft Button 2		Unused
Soft Button 3		Unused
Soft Button 4		Unused
Soft Button 5		Unused
Soft Button 6		Unused
Soft Button 7		Unused
Soft Button 8		Unused

Fig 27. Page Properties

The property sheet contains the page index, which cannot be edited, and the page name displayed on the RollCall template, which may be changed. Additionally, it contains a summary entry for each control on the page. Each summary entry provides a link to the property sheet for the control, and displays the control's label and function.

Note: The label and function properties are read-only. To edit them, go to the corresponding control property sheet.

6.6 Control Properties

The control properties apply to the currently selected control. If no control is selected, the control property sheet is blank.

All of these properties, except the Label property, provide drop-down lists of possible property values. The Label property is any string value that the user wishes to assign. It is used to soft label the hard button or port controls within the Designer, and displays when associated with a soft button or shaft encoder control. All labels are shown in the RollCall template. When a function is assigned to a control, additional properties display that are specific to that function.

6.6.1 Hard Button Control Properties

Hard Button 1, Page 1	
Context	Static
Selected Style	Default
Unselected Style	Default
Inconsistent Style	Default
Error Selected Style	Default
Error Unselected Style	Default
Preselect On Style	Default
Preselect Off Style	Default
Tally To Use	<default>
Dynamic Label	<none>
Label	Dst 1:1
Function	Radio Button

Fig 28. Hard Button Control Properties

6.6.1.1 Context

On a RollPod, each hard button can either be defined as a static button or a page-specific button.

- When defined as a static button, a button always has the same input function and the same set of output states regardless of which page is selected.
- When a button is defined as a page specific button, it can change its input function and set of output states, depending on which page is currently selected.

Output State	Description
Selected	The button is selected and its assigned function not in an error state.
Unselected	The button is not selected and its assigned function is not in an error state.
Inconsistent	The button has been changed by an external source and is not consistent.
Error Selected	The button is selected but there is an error (generally a communication error).
Error Unselected	The button is not selected and in an error state (generally a communication error).
Preselect Off	The button has changed from the selected state to the preselected state.
Preselect On	The button has changed from the unselected state to the preselected state.

Table 11. Hard Button Output States

6.6.1.2 Labels

Use the **Label** property to add a label for the button. RollPods do not support soft labels and this label does not appear on the physical unit.

However, LCD models support soft labelling of the buttons. By default, the text of an LCD button is taken from the button's Label property. However, it is possible to dynamically update LCD button text using the **Dynamic Label** property.

By default, this property is set to <none> which means that RollPod Designer uses the Label property. Alternatively, enter any user defined custom string to dynamically update the soft label.

6.6.1.3 Function

From the drop-down list, select a function for the hard button. Hard buttons can have the following functions:

- Unused
- Page Navigation
- Channel Select
- Lock
- Radio Button
- Checkbox
- Take
- Cancel
- Display Only

For further information, see Functions on page 52.

6.6.1.4 Tally to use

A custom tally can be selected from the drop down list.

The default setting is to use the 'Style' properties.

6.6.1.5 Custom colors

Depending on the panel model, it is possible to select a custom RGB color for the button as shown below:




Fig 29. Soft Button Control Properties

6.6.2 Soft Button Control Properties

Soft buttons have the following properties:

Soft Button 3, Page 1	
Label	
Function	Unused

Fig 30. Soft Button Control Properties

6.6.2.1 Label

Enter a label for the soft button. Soft button labels display on the LCD display screen. Note that space on the LCD display screen is limited so it is advisable to keep soft button labels short to avoid truncation on the display screen.

6.6.2.2 Function

From the drop-down list, select a function for the soft button. Soft buttons can have the following functions:

- Unused
- Page Navigation
- Channel Select
- Lock
- Take Shaft
- Cancel Shaft
- Radio Button
- Checkbox

For further information, see Functions on page 52.

6.6.3 Shaft Encoder Properties

The following properties are available for a shaft encoder:

Shaft Encoder 1, Page 4	
Step	1
Value formatting	%0.1fdB
Divisor	10
Preset	0
Orientation	Horizontal
Maximum Value	60
Minimum Value	-60
Label	
Function	Page Select
Page Select properties:	

Fig 31. Shaft Encoder Properties

6.6.3.1 Step and Divisor

The Step, in conjunction with the Divisor, defines the adjustment increment that the value controlled by the shaft encoder uses. The Step value is divided by the Divisor value to determine the adjustment value and incrementation.

Step	Divisor	Adjustment Increment
1	1	1
1	10	0.1
8	10	0.8
10	1	10
100	1	100

Table 12. Step and Divisor Examples

6.6.3.2 Preset

This defines the shaft encoder's preset value. The preset must fall between the minimum and maximum values and is only accessible from the template.

6.6.3.3 Value Format

This specifies the format in which the string value displays and is associated with the Format column in the remote view.

The following string value formats are available:

- **%f** - provides the numeric part of the string value

Add a value to specify a decimal and limit the number of digits that display before and after the decimal; for example, **%1.2f** would allow one digit to display in front of the decimal and two digits to display after it. If no value is added before or after the decimal, there is no limit imposed. Add any other text before or after the **%f** part of the value format string, such as a description or unit type.

Note:

In this part of the value format, there must not be any spaces.

- **%s** - provides the textual part of the string

The value format can be left blank, in which case, the value displays but no formatting is applied.

6.6.3.4 Orientation

On the LCD display screen, the scrolling bar indicating the value of the shaft encoder can be positioned either horizontally or vertically. Use the drop-down list to select either Horizontal or Vertical.

6.6.3.5 Max Value and Min Value

These define the maximum and minimum values to which the shaft encoder can be adjusted. The minimum value is required, the maximum value is optional for channel or page selectors, but must be present for remote controls.

6.6.3.6 Label

Enter a label for the shaft encoder. Shaft encoder labels display on the LCD display screen. Note that space on the LCD display screen, while it can be resized, is limited so it is advisable to keep shaft encoder labels short to avoid truncation on the display screen. Labels on the LCD display screen display in uppercase letters.

Note:

In configurations with more than one page, the screen region associated with the shaft encoder label remains the same on all other pages for all shaft encoders that have the same Orientation property.

However, if in a configuration not all shaft encoders have the same orientation (for example, some are horizontal and some are vertical), all of the horizontally oriented shaft encoders share the same screen region and all of the vertically oriented shaft encoders share the same screen region.

6.6.3.7 Function

From the drop-down list, select a function for the shaft encoder. Shaft encoders can have the following functions:

- Unused
- Page Select
- Channel Select
- Remote Control

see Functions on page 52

6.6.4 GPI Port Control Properties

GPI Port 0	
IO Type	Out
Polarity	ActiveClosed
Template Control	No
GPI Port 0, Page 1	
Selected State	Active
Unselected State	Inactive
Inconsistent State	Inactive
Error Selected State	Inactive
Error Unselected State	Inactive
Active State Log Value	Active
Inactive State Log Value	Inactive
Label	
Function	Unused
Unused properties:	

Fig 32. GPI Port Control Properties

GPI ports have similar properties to RollPod hard buttons; however, there are some significant differences.

Importantly, there are no static GPI ports (as there are static hard buttons); all GPI ports are page-specific. However, each GPI port has two static properties:

- I/Otype
- Polarity

6.6.4.1 I/Otype

A GPI port can be defined as either an input or an output. A port cannot be configured as an input on one page and an output on another.

A port configured for output behaves differently to a port configured for input:

An input port behaves like a hard button. The port going active is equivalent to a button press, while the port going inactive is equivalent to a button release.

The state of an output port is derived from its associated function. Each change of state can cause the output port to send either an active or inactive signal. Careful assignment of output signals to logical states, allows the construction of flexible tallies of multiple remote parameters.

6.6.4.2 Polarity

A GPI port must be defined as being either ActiveOpen or ActiveClosed. This defines the relationship between the logical state (Active or Inactive) and the physical state of the port.

6.6.4.3 States

States apply only to output ports and can be set to either Active or Inactive.

6.6.4.4 Label

Add a label for the port. The label is shown in the RollPod Designer, the template and in the logs.

6.6.4.5 Function

This defines a function for the GPI port. see Functions on page 52.

6.7 Virtual Control Properties

This section contains information on the available virtual control properties.

The following properties are common to all controls:

Label

This property labels the control on the template and in the menu set.

Access

The following values are available:

- Template and Menu - Read and write access on the template and the menu set.
- Menu - Read and write access on the menu set, read only access on the template.
- Internal - The control cannot be accessed externally.

Logging

The following values are available:

- Yes - Logging is required (if the control appears on the template, it is possible to disable the logging option there).
- No - Logging is not required.

6.7.1 Virtual Hard Button Control Properties

The following properties are available for a virtual hard button:

Virtual Button 1	
On Output	1,On
Off Output	2,Off
Inconsistent Output	3,Inconsistent
Error On Output	4,ErrorOn
Error Off Output	5,ErrorOff
Error Inconsistent Output	6,ErrorInconsistent
Partial Error On Output	7,PartialErrorOn
Partial Error Off Output	8,PartialErrorOff
Partial Error Inconsistent Output	9,PartialErrorInconsistent
Access	Template and Menu
Logging	Yes
Label	
Function	Unused

Fig 33. Virtual Hard Button Properties

6.7.1.1 State

A user-defined value can be associated with each of the possible virtual button states:

Value	Description
ON	All of the associated local or remote values are On.
OFF	All of the associated local or remote values are not On.
INCONSISTENT	Some of the associated local or remote values are On and some are not On.
ERROR ON	All of the remote connections have a communications failure; the last known non-error state was On.
ERROR OFF	All of the remote connections have a communications failure; the last known non-error state was Off.
ERROR INCONSISTENT	All of the remote connections have a communications failure; the last known non-error state was Inconsistent.
PARTIAL ERROR ON	Some of the remote connections have a communications failure; the current state as well as the last known non-error state is On.
PARTIAL ERROR OFF	Some of the remote connections have a communications failure; the current state as well as the last known non-error state is Off.
PARTIAL ERROR INCONSISTENT	Some of the remote connections have a communications failure; the current state as well as the last known non-error state is Inconsistent.

Table 13. State values

6.7.1.2 Function

From the drop-down list, select a function for the hard button:

- Unused

- Radio Button
- Checkbox

For further information, see Functions on page 52.

6.7.2 Virtual String Region Control Properties

The following properties are available for a virtual string region:

Virtual String Region 1	
Access	Template and Menu
Logging	Yes
Label	
Function	Unused

Fig 34. Virtual String Region Properties

6.7.2.1 Function

From the drop-down list, select a function for the string region:

- Unused
- Radio Button
- Checkbox

For further information, see Functions on page 52.

6.7.3 Virtual Edit String Control Properties

This is an editable version of a virtual string region.

The following properties are available for a virtual edit string:

Virtual Edit String 1	
Access	Template and Menu
Logging	Yes
Label	
Function	Unused

Fig 35. Virtual Edit String Properties

6.7.3.1 Function

From the drop-down list, select a function for the edit string:

- Unused
- Radio Button
- Checkbox

For further information, see Functions on page 52.

6.7.4 Virtual Shaft Encoder Control Properties

The following properties are available for a virtual shaft encoder:

Virtual Shaft Encoder 1	
Orientation	Horizontal
ValueFormat	%1.1f dB
MinValue	-180
MaxValue	60
Div	10
Step	1
Preset	0
Access	Template and Menu
Logging	Yes
Label	
Function	Unused

Fig 36. Virtual Shaft Encoder Properties

6.7.4.1 Function

From the drop-down list, select a function for the shaft encoder:

- Unused
- Remote Control

For further information, see Functions on page 52.

For the other properties, see “Shaft Encoder Properties” on page 44.

6.7.5 Virtual Button Set Control Properties

This control defines discrete values that are linked to an external command (Category and Command Number properties) that, if present on the template, are represented as radio buttons.

The following properties are available for a virtual button set:

Virtual Button Set 1	
Category	IQBRT8
Command Number	7
Access	Template and Menu
Logging	Yes
Label	Info Display
Function	ButtonSet

ButtonSet properties:	
Mode	Read-write
Connection 1	Remove
Name	Input Status
Value	0
Connection 2	Remove
Name	Output Status
Value	1
Connection 3	Remove
Name	Input Gains
Value	2

Fig 37. Virtual Button Set Properties

6.7.5.1 Function

From the drop-down list, select a function for the shaft encoder:

- Unused
- ButtonSet

6.8 String Regions (3U RollPods Only)

String regions are areas of read-only text that can display either fixed user defined text or system information such as the value of a remote connection. Any number of screen regions may be on a page.




Fig 38. String Region

6.8.1 Adding a New String Region

To add a new string region, right-click on any control or display area in the RollPod Model view, and from the menu that displays, select **New String Region**.

A selected screen region displays with a magenta border.

6.8.2 Repositioning and Resizing String Regions

String regions can be repositioned and resized like the other display areas on the LCD Display screen. To resize a string region, select it and then drag its borders to the desired position. String regions are always page-specific; however, a string region can be replicated on all other pages by means of the replicate option. To do this, right-click in the string region and from the menu that displays, select **Replicate**.

6.8.3 String Region Functions

String regions can have the following functions:

Function	Description
Fixed Display	Add a string of read-only text, defined by the Label property, to a string region.
Current Channel Index	Displays the current channel index, as defined by the Format String property. By default, this is %s, but this may be changed if required.
Current Channel Name	Displays the name of the current channel, as defined by the channel Names column on the Global Properties tab. By default, this is %s, but this may be changed if required.
Category Status	Displays the status of the category specified by the Category property.
Remote Connection	Displays the value of any remote connection. Specify a category, a specific command number and, optionally, a format string and divisor. see Step and Divisor on page 45

Table 14. String Region Functions

6.9 Functions

6.9.1 Unused

The control or GPI port does not have a function assigned. In the template, each GPI port has a checkbox that can be used to change its state.

6.9.2 Page Navigation

The page navigation function sets the current page to be the one specified by a fixed page number or index. The page navigation function can be assigned to either a soft button or a hard button.

6.9.2.1 Hard Button Page Navigation Function

Configured on a hard button, a page navigation function can display any one of four styles:

- Selected
- Unselected
- Error Selected
- Error Unselected

If an error condition exists on a page navigation button's destination page, the page button indicates an error. However, if an inconsistent condition exists on a page button's destination page, the inconsistent state is not indicated by the page navigation button.

A page index must be specified when adding a page navigation function. The page index determines the page to which the page navigation function navigates.

Hard Button 6, Page 1	
Context	Static
Error Selected Style	Red Flashing
Error Unselected Style	Dim Red Flashing
Inconsistent Style	Dim Orange
Selected Style	Green
Unselected Style	Dim Green
Label	
Function	Page Navigation
Page Navigation properties:	
Page Index	0

Fig 39. Page Navigation

In Fig 39. the Page Index value displays in red because no page index has yet been specified. Click on the value and select the Page Index from the drop-down list.

6.9.2.2 Soft Button Page Navigation Function

Configured on a soft button, a page navigation function displays on the LCD display screen as either selected and unselected. A page index must be specified when adding a page navigation function. The page index determines the page to which the page navigation function navigates.

6.9.3 Page Select

The Page Select function, available only for shaft encoders, is very similar to the Page Navigation function on soft and hard buttons. Its purpose is to navigate between pages in a RollPod configuration. However, unlike the soft and hard buttons, the Page Select function on a shaft encoder scrolls through the configuration's pages when the shaft encoder is rotated, according to the properties defined for the control.

Shaft Encoder 1, Page 4	
Step	1
Value formatting	%0.1fdB
Divisor	10
Preset	0
Orientation	Horizontal
Maximum Value	60
Minimum Value	-60
Label	
Function	Page Select

Page Select properties:

Fig 40. Page Select

6.9.4 Remote Control

The Remote Control function, available only for shaft encoders, adjusts a remote value on a RollCall compatible unit. This function is best suited for scroll bar adjustments, such as ProcAmp controls, where a value needs to be selected from a range.

Shaft Encoder 1, Page 4	
Step	1
Value formatting	%0.1fdB
Divisor	10
Preset	0
Orientation	Horizontal
Maximum Value	60
Minimum Value	-60
Label	Y Gain
Function	Remote Control

Remote Control properties:

Connection 1	
Command Number	2707
Category	IQSYN30
Mode	Independent
Name	Y Gain

Add New Connection

Fig 41. Remote Control

Normally, these properties are automatically populated when dragging a template control to the shaft encoder, but they can be manually adjusted, if required.

6.9.4.1 Multiple Remote Connections

Remote controls support multiple remote connections, in which more than one remote command is controlled by the same shaft encoder. In this case, the mode of each remote connection determines how it interacts with the other remote connections.

If a remote control has only one remote connection, the mode is irrelevant.

Mode	Description
Master	Externally changing the value of a Master remote connection always changes the values of all other remote connections to match the new value.
Independent	<p>If a remote connection's mode is set to Independent and its value is externally changed, the new value is compared to all other master and independent remote connections.</p> <ul style="list-style-type: none"> If they agree, all slave remote connections are changed to match the new value. If they do not agree, the value of any slave remote connections are not changed. If there is only one independent remote connection with one or more slaves, the independent connection behaves like a master.
Slave	If a remote connection's mode is set to Slave, any external attempt to change its value is overridden with the current value of the shaft encoder.

Table 15. Multiple Remote Connections

6.9.5 Channel Select

The channel select function selects the channel to use for multi-channel categories. It has only one property - channel number. This should be in the range of 1 to the maximum number of channels.

Selecting a channel has the following effects:

- RollCall control connections to units in the old channel are closed.
- RollCall connections to units in the new channel are opened.

It is important to be aware that the configuration can no longer monitor the state on any closed connections.

A channel select function can only be in one of two states:

- Selected
- Unselected

6.9.5.1 Hard Buttons, Soft Buttons and GPIs

When adding a channel select function to a hard button or a soft button, specify the channel the function selects.

Hard Button 5, Page 1

Context	Static
Error Selected Style	Red Flashing
Error Unselected Style	Dim Red Flashing
Inconsistent Style	Dim Orange
Selected Style	Green
Unselected Style	Dim Green
Label	
Function	Channel Select

Channel Select properties:

Channel	0
---------	---

Soft Button 2, Page 1

Label	
Function	Channel Select

Channel Select properties:

Channel	0
---------	---

Fig 42. Button Channels

In Fig 42. the Channel displays in red because no channel has yet been specified.

6.9.5.2 Shaft Encoders

Note:

When setting a channel select function to a shaft encoder, do not add the channel property because shaft encoders scroll through a range of values rather than selecting a single one.

Shaft Encoder 2, Page 1	
Step	37
Divisor	1
Preset	0
Value formatting	%1.0f ns
Orientation	Horizontal
Maximum Value	63936
Minimum Value	-63936
Label	
Function	Channel Select

Fig 43. Shaft Encoders

Step, Divisor, Preset and Minimum values must be specified for channel selection. The other properties can be specified but are optional.

At runtime, upon turning the shaft encoder, the channels scroll according to the properties that are specified.

6.9.6 Lock

The Lock function provides operational security against inadvertent button presses by disabling selected input functions until unlocked by the user. The lock function can be associated with either a hard button, soft button or GPI port.

There are two types of lock, defined on the global properties tab:

- Panel – disables all input from the panel except for the lock function.
- Remote Actions – disables radio button and checkbox input functions.

If a lock function has been assigned, when a RollPod starts, the lock is always on and in the selected state. Pressing the lock button unlocks the RollPod and sets the button to its unselected state.

The Auto-lock timeout feature (set in the Global Properties) specifies a value in seconds after which, if no button presses are detected, the lock is automatically set to on. Entering a timeout value of 0 seconds disables this feature.

A lock button can use only one of two styles, selected (when locked) and unselected (when unlocked). Other styles are ignored.

When adding a Lock function to a hard button, specify whether it is to be Latching or Non-latching:

- If a lock is set to Latching, press the button once to disable the lock and press the button a second time to re-enable the lock.
- If a lock is set to Non-latching, press the button and hold it to disable the lock and release the button to re-enable the lock (hold the lock button down to operate any of the other controls).

Hard Button 9, Page 1	
Context	Static
Error Selected Style	Red Flashing
Error Unselected Style	Dim Red Flashing
Inconsistent Style	Dim Orange
Selected Style	Green
Unselected Style	Dim Green
Label	
Function	Lock

Fig 44. Hard Button Lock

Lock functions associated with a soft button are always latching.

Soft Button 2, Page 1	
Label	
Function	Lock

Fig 45. Soft Button Lock

Note:

When a lock button is **selected**, the lock is **ON**.

When a lock button is **unselected**, the lock is **OFF**.

6.9.7 Take Shaft and Cancel Shaft

The Take Shaft and Cancel Shaft functions can only be assigned to soft buttons on a 3U RollPod and must be associated with a shaft encoder control on the same page.

Take Shaft and Cancel Shaft functions have only one property, Shaft Index, which designates the shaft encoder that they are associated with.

Soft Button 1, Page 1	
Label	Take Gain
Function	Take Shaft
Take Shaft properties:	
Shaft Index	1

Soft Button 2, Page 1	
Label	Cancel Gain
Function	Cancel Shaft
Cancel Shaft properties:	
Shaft Index	1

Fig 46. Take Shaft and Cancel Shaft

6.9.7.1 Take Shaft

When the associated shaft encoder is adjusted, the settings do not become active until the Take Shaft button is pressed.

6.9.7.2 Cancel Shaft

When the associated shaft encoder is adjusted, pressing the Cancel Shaft button returns the shaft encoder adjustment to its default value.

6.9.8 Radio Button

The Radio Button function is used to set one or more individual commands on RollCall enabled devices such as IQ modules. Each command and device pairing is called a remote connection. Local connections can also be made for control of individual, or sets of, radio buttons on hard buttons. Local control allows connection to physical and virtual functions on radio buttons.

Radio Button functions can be assigned to hard buttons, soft buttons, virtual buttons, or GPI ports.

Radio buttons may have one or more remote or local connections. see Multiple Connections on page 61

6.9.8.1 Remote Connections

A remote connection for a radio button is defined by the following properties:

- Name – the name of the RollCall command (Information only. The name is not used at runtime).
- Command Number – the RollCall command number.
- Category – the name of a category. For more information, see the Categories section.
- Value Type – Choose from Fixed, Dynamic Number, or Dynamic String.
 - Fixed (default) – allows the normal setting of a remote command value in the displayed Value property.
 - Dynamic Number – allows the setting of a numerical value from another remote device.
 - Dynamic String – allows the setting of a string value from another remote device.

With either the Dynamic Number, or Dynamic String option selected, the Dynamic Value Category, Dynamic Value Command, and Dynamic Value Name properties display.

- Value – the value to set the command to. This can be numeric, string or both. A value is treated as numeric if it contains only digits. To supply both values, enter the numeric value followed by a comma, followed by the string value.
- Dynamic Value Category – the name of a remote device category. For more information, see the Categories section.
- Dynamic Value Command – the RollCall command number for the command on the remote device.
- Dynamic Value Name – the name of the RollCall command on the remote device.
- Delay – A delay (in milli-seconds) before the remote connection is actioned after the button is pressed or GPI triggered.

A Radio Button is in its selected state when the received remote value matches the specified value.

The Radio Button function displays a button to add a new remote connection. Clicking on this button causes new properties to display. See Fig 47.

Radio Button properties:	
Mode	Read-write
Connection 1 Remove	
Connected To	Remote
Name	
Command Number	0
Category	IQCSPi
Value Type	Fixed
Value	0
Write Delay	0
Read Delay	0
Add New Connection	

Fig 47. Remote Radio Button Properties

Note: Template controls and menu entries may be dragged from the Remote View and dropped onto the function's property sheet to add remote connections.

When adding a Radio Button to a hard button, specify whether it is to be Read-only or Read-write:

- Read-only – the button is set as a status indicator only.

- Read-write – the button can control the unit it is configured to.

6.9.8.2 Local Connections

A local connection for a radio button is defined by the following properties:

- Local Variable – select the radio button function from the drop-down list.
- Value – the value to set the command to. This can be numeric, string or both. A value is treated as numeric if it contains only digits. To supply both values, enter the numeric value followed by a comma, followed by the string value.
- Delay – A delay (in milli-seconds) before the local connection is actioned after the button is pressed or GPI triggered.

A Radio Button is in its selected state when the received local value matches the specified value.

The Radio Button function displays a button to add a new local connection. Clicking on this button causes new properties to display. See Fig 47.

Radio Button properties:	
Mode	Read-write
Connection 1 Remove	
Connected To	Local
Local Variable	HB-3: State
Value	0
Write Delay	N/A
Read Delay	0
Add New Connection	

Fig 48. Local Radio Button Properties

When adding a Radio Button to a hard button, specify whether it is to be Read-only or Read-write:

- Read-only – the button is set as a status indicator only.
- Read-write – the button can control the unit it is configured to.

6.9.8.3 Multiple Connections

Radio Buttons support multiple remote or local connections, in which more than one command is controlled by the same button or GPI port. In this case, the mode of each connection determines how it interacts with the other connections and the button state displayed (or GPI output sent).

The following additional properties are available when more than one connection is applied to a Radio Button (and in the case of a hard button, the button is configured as Read-write):

- Mode – see Table 16.
- Read only – Yes or No. If Yes the Radio Button is set to read status only. If No the radio button can control the unit it is configured to.
- Tally – Include in or Exclude from the tally. Excluding ignores inconsistencies.

Mode	Description
Master	If a remote connection's mode is set to Master and its value is externally changed, all other remote connections set their states to match the externally applied value. This occurs regardless of the other remote connection modes.
	In other words, externally changing the value of a Master remote connection always changes the values of all other remote connections to match the new value.

Table 16. Multiple Remote Connections

Mode	Description
Independent	If a remote connection's mode is set to Independent and its value is externally changed, the new value is compared to all other master and independent remote connections.
	<ul style="list-style-type: none"> If they agree, all slave remote connections are changed to match the new value. If they do not agree, the value of any slave remote connections are not changed and the button shows an inconsistent state (or the GPI signals the output defined as inconsistent).
Slave	If a remote connection's mode is set to Slave its value cannot be changed unless:
	<ul style="list-style-type: none"> It is changed by a master remote connection. An independent remote connection is changed and that independent connection agrees with all other independent and master remote connections.

Table 16. Multiple Remote Connections

Note: Soft buttons are limited in the states that they can display and have no way to display inconsistency. They only display the Selected state when all remote connections are also in the Selected state. A soft button is disabled when all communication connections are invalid (or locked).

Note: GPI input ports have no means of reflecting status.

Because Radio Buttons specify one specific value each, they are normally used in groups of two or more - one Radio Button to set one value and second button to set another value. It is therefore possible that an external source could set a pair of Radio Buttons to a value that is not recognized by either. In this case, none of the buttons would be selected (they would all be blank).

6.9.9 Checkbox

The Checkbox function is used to toggle between two values on a RollCall enabled device, such as an IQ or GPI module. Each command and device pairing is called a remote connection. Local connections can also be made for control of individual, or sets of, checkboxes on hard buttons. Local control allows connection to physical and virtual functions on checkboxes.

Checkbox functions can be assigned to either hard buttons, soft buttons, virtual buttons, or GPI ports.

Checkboxes may have one or more remote or local connections. see Multiple Connections on page 61

6.9.9.1 Remote Connections

A Checkbox function can have one or more remote connections. A remote Checkbox connection is defined by the following properties:

- Name – the name of the RollCall command (optional).
- Command Number – the RollCall command number.
- Category – the name of a category. For more information, see the Categories section.

- On Value – the value to set the command to when selected. Can be numeric, string or both. A value is treated as numeric if it contains only digits. To supply both values, enter the numeric value followed by a comma, followed by the string value.
- Off Value – the value to set the command to when unselected. Can be numeric, string or both.
- Delay – A delay (in milli-seconds) before the remote connection is actioned after the button is pressed, or GPI triggered.

Note:

A Checkbox with a current value that is neither on nor off defaults to dim orange flashing (open for GPI).

The Checkbox function displays a button to add a new remote connection. Clicking on this button causes new properties to display. See Fig 49.

Fig 49. Remote Checkbox Properties

When adding a Checkbox function to a hard button or GPI module, specify whether it is to be Latching, Non-latching, or Read-only:

- If a Checkbox is set to Latching (and is currently unselected), pressing the button once selects the function and pressing it again deselects the function.
- If a Checkbox is set to Non-latching, pressing and holding the button selects the function; releasing the button deselects the function.
- If a Checkbox is set to Read-only, it acts as a status display only, and pressing the button has no action.

Note:

Soft buttons are always latching.

6.9.9.2 Local Connections

A local connection for a checkbox is defined by the following properties:

- Local Variable – select the checkbox function from the drop-down list.
- On Value – the value to set the command to when selected. Can be numeric, string or both. A value is treated as numeric if it contains only digits. To supply both values, enter the numeric value followed by a comma, followed by the string value.
- Off Value – the value to set the command to when unselected. Can be numeric, string or both.
- Delay – A delay (in milli-seconds) before the local connection is actioned after the button is pressed or GPI triggered.

Note:

A Checkbox with a current value that is neither on nor off defaults to dim orange flashing (open for GPI).

The Checkbox function displays a button to add a new local connection. Clicking on this button causes new properties to display. See Fig 47.

Checkbox properties:	
Mode	Latching
Connection 1	Remove
Connected To	Local
Local Variable	HB-3: State
On Value	
Off Value	
Write Delay	N/A
Read Delay	0
Add New Connection	

Fig 50. Local Checkbox Properties

Note: Template controls and menu entries may be dragged from the Remote View and dropped onto the function's property sheet to add local connections.

When adding a Checkbox to a hard button, specify whether it is to be Read-only or Read-write:

- Read-only – the button is set as a status indicator only.
- Read-write – the button can control the unit it is configured to.

6.9.9.3 Multiple Connections

Checkboxes support multiple remote or local connections, in which more than one function is controlled by the same button or GPI port. In this case, the mode of each connection determines how it interacts with the other connections and the button state displayed (or GPI output sent).

The following additional properties are available when more than one connection is applied to a checkbox:

- Mode – see Table 17.
- Read only – Yes or No. If Yes the Checkbox is set to read status only. If No the Checkbox can control the unit it is configured to.
- Tally – Include in or Exclude from the tally. Excluding ignores inconsistencies.

Mode	Description
Master	<p>If a remote connection's mode is set to Master and its value is externally changed, all other remote connections set their state to match the externally applied value. This occurs regardless of the other remote connection modes.</p> <p>In other words, externally changing the value of a Master remote connection always changes the values of all other remote connections to match the new value.</p>
Independent	<p>If a remote connection's mode is set to Independent and its value is externally changed, the new value is compared to all other master and independent remote connections.</p> <ul style="list-style-type: none"> • If they agree, all slave remote connections are changed to match the new value. • If they do not agree, the value of any slave remote connections are not changed and the button shows an inconsistent state (or the GPI signals the output defined as inconsistent).

Table 17. Multiple Remote Connections

Mode	Description
	If a remote connection's mode is set to Slave its value cannot be changed unless:
Slave	<ul style="list-style-type: none"> It is changed by a master remote connection. An independent remote connection is changed and that independent connection agrees with all other independent and master remote connections.

Table 17. Multiple Remote Connections

Note: Soft buttons are limited in the states that they can display and have no way to display inconsistency. They only display the Selected state when all connections are also in the Selected state. A soft button is disabled when all communication connections are invalid (or locked).

Note: GPI input ports have no means of reflecting status.

6.9.10 Take and Cancel

The Take and Cancel functions can only be assigned to hard buttons.

The Take function has two properties:

Group Name - the group to which this Take button will apply. Checkbox and Radio hard buttons also support this property.

Timeout - a timeout value in seconds, after which the Take button will automatically cancel if not pressed.

The Cancel function has a single property:

Group Name - the group to which this Cancel button will apply. Checkbox and Radio hard buttons also support this property.

Take and Cancel buttons can control other hard buttons that have Checkbox or Radio Button functions with the same group name.

Note: Group names are qualified by their context.
Static Take/Cancel buttons can only reference Static hard radio and checkbox buttons.
Page N Take/Cancel buttons can only reference Page N hard radio and checkbox buttons.

Note: The same group (qualified by its context) cannot be referenced from more than one Take and Cancel button.

A 'controlled' hard button refers to a hard radio or checkbox button that is controlled by a Take button.

Take and Cancel buttons are inactive by default and are displayed in their unselected styles. When any of the controlled hard buttons is pressed, the Take and Cancel buttons will become active and will display in their selected styles. The controlled button will display in the appropriate preselect style.

If a Take button has a non-zero timeout value, the timeout is re-started on each press of a controlled hard button (unless the controlled button is already in the preselected state).

At the point when a controlled button is first pressed, a snapshot of the value(s) to be sent is made. While in the preselected state, any external changes to the associated button values will have no effect on either the visible state of the button or the preselected value(s).

When the Take button is pressed, the Take and Cancel buttons become inactive and display in their un-selected styles. All of the controlled buttons that are in the preselected state will then behave in much the same way as a non-controlled button that has just been pressed, the only difference being that the value(s) to be sent are the preselected values.

Controlled hard radio buttons that are in the same group and bound to the same command and category have additional behavior. If, for example, you have three such hard radio buttons called A, B and C and A is currently in the selected state. If B is pressed, it will change to the preselect style. If C is now pressed, B will have its preselect style cancelled and C will now change to the preselect style.

6.9.11 Display Only

This can only be assigned to hard buttons that support soft labelling such as on Luna panels.

It can be used to display dynamic string values. The button does nothing when pressed.

6.10 Search Tab

The search tab, found in the property sheet view, is used to search for controls or groups of controls.




Fig 51. Search Tab

To search for a control, select the criteria type and criteria, then click **Apply**.

All controls that match the criteria are highlighted. For example, Fig 52. shows the result of a *By Label* search for *Input 1*.




Fig 52. Search Result

Note: Text in searches is case sensitive.

Controls remain highlighted until the search criteria is set back to None.

6.11 Download Mode

Download mode allows a configuration for a RollPod or GPI module to be downloaded. To switch the config view to download mode, either click the **Download** toolbar button or from the **RollCall** menu, select **Download**.

Note: If any of the Edit Mode tabs have been broken out into floating windows, they are closed automatically when Download Mode is selected.

Fig 53. Download Mode

If any of the download buttons are disabled, as shown above, it is because there are no download targets currently selected. To select a download target, use the Network View to either drag a compatible unit onto the Selected Download Targets table above, or use the unit's context menu and select 'Download Config'. When one or more targets have been selected, the download buttons become enabled, as shown below.

Only compatible units can be added to the list (displayed in the RollPod Type(s) field of the Config Details).

Fig 54. Download Configuration

To remove a unit from the download target table, right-click on the unit and select **Remove**.

6.11.1 Config Details

The Config Details panel provides the following information.

Config Name	The name of the configuration file.
Config Timestamp	The date and time when the configuration was compiled. If there have been any changes to the configuration since the last compilation, the timestamp is replaced by the words 'Needs compilation'.
Pod Type(s)	A list of compatible unit types for this configuration.

Table 18. Configuration Details

Pod ID(s)	A list of compatible unit IDs for this configuration.
Scripting	Enabled/Disabled (Luna panels only)
Script File	Path name of the script file (Luna panels only)

Table 18. Configuration Details

6.11.2 Download Config

This downloads the configuration to the selected download target (or targets). If the configuration has been changed since the last download, or has not been downloaded before, it is compiled first.

A configuration download automatically restarts the target unit, in preparation for the transfer of the new configuration and its associated files. The target unit is briefly removed from the network and redisplayed as an Unprogrammed Unit. After the new configuration files are transferred to the unit, it is restarted once more. It then comes back online as a newly configured unit.

If the configuration download is successful, the address download commences.

6.11.3 Update Addresses

This downloads category addresses only. This is a relatively quick operation and does not require a restart of the unit.

To ensure that other parts of the configuration have not changed since the configuration was last downloaded to the target units, their configuration is extracted and compared to the current configuration.

6.11.4 Update Script

Updates the script according to whether it is enabled or not.

If enabled, the script file contents are compared with the script file on the target unit and, if different, the script file is downloaded to the unit and the unit restarted (this is necessary for the new script to take effect).

If not enabled, then if a script file exists on the unit, it is deleted and the unit restarted.

Note:

Downloading a configuration will also update the script file.

6.11.5 Resume Edit

This exits download mode and returns the Config View to edit mode.

6.11.6 Selected Download Targets

This is a tabular list of the RollPods or GPI units to download to. The table has the following columns:

Address	The RollCall address of the unit.
Name	The RollCall name of the unit.
Type	The RollCall unit type.
ID	The RollCall unit ID.
Version	The RollCall unit version.
Config Timestamp	The timestamp of the configuration currently on the unit. This is blank if the unit does not contain a configuration.
Config Status	Indicates the result of a configuration download.
Address Status	Indicates the result of downloading addresses.

Table 19. Selected Download Targets

6.11.7 Download Log and Progress Bar

The Download Log provides details of the current phase of the download and the Progress bar provides a guide to how much of the current phase has been completed.

6.11.8 Warnings

The following warnings may display in a pop-up message after compilation. The message gives the option to proceed with the download despite the warning, or to cancel the download and correct the problem.

Warning	Description
Multi-channel category CategoryName present in single-channel config	The number of channels in the configuration is 1 but there is a multi channel category present. In this case, the first channel is always used at runtime.
Commas not valid in Short Description, replacing with semi-colon	The short description is included in the RollPod's DisplayData (4 status lines, top right of template). It cannot contain commas. If the download operation is continued, all commas in the short description are replaced with semicolons during compilation.
Timeout auto-lock is enabled, but there are no Lock controls	The timeout auto-lock feature is turned on, but there is no mechanism to release the lock. In this case, the only way to unlock the RollPod is by means of the template, which always includes a lock checkbox.
Page N is unreachable	A page has been defined that does not have a page navigation control pointing to it. In this case, the only way to access the page is by means of the control Panel template.
Preset for Shaft Encoder N on Page P outside valid range; setting to min (or max)	The preset value for a shaft encoder falls outside of the range defined by the minimum and maximum values. The compiler sets the preset to either the minimum or maximum value.

Table 20. Warnings

Warning	Description
Name of page P is too long, truncating to 19 chars	The name of a page is too long. The compiler shortens the name to the 19 character maximum.

Table 20. Warnings

6.11.9 Errors

6.11.9.1 Errors prior to compilation

The following additional checks are made before and during compilation. If any of these errors occur, compilation fails and the errors are recorded in the download log.

Error	Description
The following unit(s) is/are not currently available: NNNN:UU:PP. Check the connection or remove the unit(s) from the list	A target unit in the list is not responding to RollCall commands.
Error: the target version is not supported - v5.13 onwards	One or more of the target units is running an older software version, which is not compatible with RollPod Designer. Upgrade the unit to continue using RollPod Designer.
Failed to create compiler output directory	This error generally occurs when there are insufficient permissions to write to the All Users directory.
Page numbers must be contiguous, starting from 1	Page numbers must start at 1 and may only be incremented by 1.
Maximum number of categories exceeded (20)	A configuration cannot contain more than 20 categories. This limit only applies to panels running V5 software. For V6, the categories are unlimited.
Maximum number of Pages exceeded (50)	A configuration cannot contain more than 50 pages. This limit only applies to panels running V5 software. For V6, the pages are unlimited.
Number of channels must be positive	The number of channels in a configuration cannot be zero or a negative value.
Multiple clashing definitions for Hard Button N	This error only occurs if the xml configuration file has been modified manually (outside of the RollPod Designer application).
Too many pages - mode source limit exceeded	The limit of NumberHardButtons*NumberPages (1000) has been exceeded.
An Error occurred during XMenu compilation:	This is an internal error. If this error occurs, the remainder of the message and the configuration should be forwarded to SAM technical support.
Cannot have all remote connections as Slaves on Button N on Page P	At least one of multiple remote connections must be either independent or master.
Port N on Page P selects invalid channel C	A channel select function has an index that is less than 1 or greater than the number of channels.
Hard Button N on Page P selects invalid channel C	A channel select function has an index that is less than 1 or greater than the number of channels.
Soft Button N on Page P selects invalid channel C	A channel select function has an index that is less than 1 or greater than the number of channels.
No Remote connections specified for Port N on Page P	A remote connection function (radio button or checkbox) has no remote connections specified.

Table 21. Errors

Error	Description
No Remote connections specified for Hard Button N on Page P	A remote connection function (radio button or checkbox) has no remote connections specified.
No Remote connections specified for Soft Button N on Page P	A remote connection function (radio button or checkbox) has no remote connections specified.
No Remote connections specified for Shaft Encoder N on Page P	A remote connection function (radio button or checkbox) has no remote connections specified.
Hard Button N on Page P navigates to Page OtherP which is undefined	A page navigation function navigates to a page that is undefined.
Soft Button N on Page P navigates to Page OtherP which is undefined	A page navigation function navigates to a page that is undefined.
Port N on Page P navigates to Page OtherP which is undefined	A page navigation function navigates to a page that is undefined.
Conflicting priorities for Command N of Category CategoryName. This command displays as both ExistingPriority and NewPriority Remote connection in different controls	If a particular command number of a particular category is ever used in a multiple-remote control configuration, then its uses elsewhere (for example, in a multiple remote configuration for another control) must match the Mode used (master, independent or slave).
Category "catName" (referenced by Control N on Page P) not found in category list	A remote connection refers to a category that is not defined (possibly because it has been deleted).
Category names cannot contain spaces. Please rename category "catName"	Spaces are not permitted in any category names. Rename the category, removing all spaces.
Multi-channel category "CanName" used for router-follow	Only single channel categories can be used to control channel selection.
Soft Button N on Page P: invalid function in a single-channel configuration	A channel select function is set in a configuration that only has one channel.
Soft Button N on Page P references invalid Shaft Encoder S	A Take or Cancel function has been associated with a non-existent shaft encoder.
Soft Button N on Page P references Unused Shaft Encoder S	A Take or Cancel function has been associated with a shaft encoder that does not have an assigned function.
String Region R on Page P: invalid function in a single-channel configuration	A string region has been assigned to display current or current channel name in a single channel configuration.
Shaft Encoder S on Page P: invalid function in a single-channel configuration	A shaft encoder has been assigned a channel select function in a single channel configuration.
Must specify max value for Shaft Encoder N on Page P	A shaft encoder has been assigned a remote control function but does not have a maximum value specified. (Max value can be omitted for channel or page selector functions, but not for remote controls.)
Shaft Encoder N on Page P: Max Value exceeds number of channels in configuration	A maximum value has been specified for a shaft encoder that has a channel select function assigned; however, the value is greater than the number of channels.
Shaft Encoder N on Page P: invalid function in a single page configuration	A shaft encoder has been assigned a page select function in a single page configuration.

Table 21. Errors

Error	Description
Shaft Encoder N on Page P: Max Value exceeds number of pages in configuration	A shaft encoder has been assigned a page select function; however, the max value is greater than the number of pages.
Value not specified	A radio button or checkbox control is missing its Value or On value or Off value attribute.

Table 21. Errors**6.11.9.2 Errors When Updating Addresses**

The following errors may occur when updating addresses.

Error	Description
Failed to upload config from remote unit	This error occurs if a configuration cannot be extracted from the unit. For instance, in cases where the unit has not been previously programmed by RollPod Designer.
Config Mismatch	The target unit's configuration differs in ways other than addresses. A full download is required.
Number of categories mismatch: local config contains N, remote config contains M	The target unit's configuration differs in ways other than addresses. A full download is required.
Category type mismatch: category CategoryName	A category changed from single to multi channel or vice versa. A full download is required.
Category name mismatch: category NewName vs OldName	A category name has changed. A full download is required. Other things about categories (for example, their descriptions or default unit ID), which do not affect their run-time operation, may change without forcing a full recompile.
Failed to download address	This error most likely caused by a network error during the download process.

Table 22. Errors When Updating Addresses

7. Examples

This section provides examples to illustrate some of the basic concepts and operations required to use the RollPod Designer.

7.1 Example 1: Hello World

This example illustrates how to:

- Connect RollPod Designer to a RollCall Network.
- Download a configuration to a RollPod.

This example assumes:

- A 3U RollPod Unit, with power on, connected to a RollCall Network
- An installed version of the RollCall Suite, including RollPod Designer.

7.1.1 Start RollPod Designer

1. Start the RollPod Designer software (From the Start menu, select **All Programs > SAM > RollCall > RollPod Designer**).

RollPod Designer opens.




Fig 55. RollPod Designer

2. Connect RollPod Designer to the RollCall network.

To do this, click the Network toolbar button and in the Build Network dialog that displays, enter the IP Address of the RollCall network. The default communication port is 2050; to use a different communication port, enter it in the format `ipaddress@port`.




Fig 56. Network IP Address

3. Click **OK**.

The RollCall network displays in the Network list on the left of the RollPod Designer window, when connected.

7.1.2 Choose a RollPod Model

1. Click the **New toolbar** button.

The Select RollPod Model window appears.




Fig 57. Select RollPod Model

2. Select the relevant 3U RollPod, either a 3U-12 or a 3U-16, then click **Create**. The RollPod model and properties tabs appears.




Fig 58. Properties

7.1.3 Add a String Region

- 1. Add a string region to the display screen. To do this:
 - Right-click in a soft button or shaft encoder display area and select **New String Region**.




Fig 59. Select String Region

The new string region appears in the center of the display window.




Fig 60. String Region

2. On the Control properties tab set the Function to **Fixed Display** and enter *Hello World!* in the Label field.




Fig 61. Enter Text

3. Resize the String Region to fit the text just entered.




Fig 62. Resize String Region

4. To save the configuration, click the **Save** toolbar button, navigate to the location to save the file in, name the file and click **Save**.

Note: A file extension does not have to be added.

7.1.4 Download Configuration to the RollPod

1. Click the **Download** toolbar button.
2. Drag the RollPod unit from the network tree on the left to the **Selected Download Targets** list.




Fig 63. Download Target

3. Click **Download Config**. The progress of the configuration appears in the Download Log and the RollPod restarts.

When the download completes, the Download Log reports ***Download OK*** and the RollPod unit displays Hello World!.




Fig 64. RollPod Display

7.2 Example 2: RollPod Configuration

The previous example demonstrated how to connect a RollPod to a RollCall Network and download a configuration to the RollPod.

This example illustrates how to set up a configuration which uses:

- Hard Buttons
- Soft Buttons
- Shaft Encoders
- String Regions
- Multiple Remote Connections, Categories, and Channels

This example illustrates a configuration in which a 3U-12 RollPod is used to control 4 IQSYN22 modules, each associated to a different channel, to adjust basic video processing settings and audio delay settings, and an IQUDC00 to select the output standard.

The example begins after a RollPod has been connected to the network and the unit templates have been downloaded. These operations are illustrated in the previous example.

7.2.1 Step 1: Designing the Configuration

Before configuring the RollPod, it is always advisable to decide what is required. With that goal in mind, determine how the RollPod configuration should be set up.

Have a clear plan for:

- The controls and displays that the configuration needs.
- How many pages the required controls need and how the controls are grouped on those pages.
- If multiple channels are required (It is not necessary to determine how many).
- How many different categories are required.

RollPod Designer automatically populates elements such as category addresses and the command numbers for the controls, but the importance of a clear plan cannot be over emphasized.

At this stage, consider sketching a diagram of the configuration. For Example:




Fig 65. Configuration Diagram

7.2.2 Step 2: Creating Pages and Navigation Buttons

When the design is finished, set up the basic framework for the configuration - the pages that needed, and the static page navigation buttons. At this stage a Lock function can be added.

These steps are performed in the Configuration view.

1. Start RollPod Designer and create a new 3U-12 configuration.




Fig 66. New Configuration

2. Add pages and name them ready for use in the configuration.

To add a page:

- Right click on a page tab and select **Add New Page**.
- Enter a page index or accept the recommended page index (RollPod Designer numbers each page sequentially). Click **OK**.

- Enter a Name for the new page. In this case page 2 should be named Video Proc. Click **OK**.
- Repeat until all required pages are added.

Note: The order in which pages are created does not matter. Note that once the pages are created, and the navigation controls added, it can be difficult to change the order.

When finished, the configuration should have the following pages:




Fig 67. Configured Pages

3. Add a lock button and the static page navigation hard buttons. This configuration has the page navigation buttons along the bottom row, with a lock button in the lower right.

To add the lock button:

- Select the lower-right hard button. The control properties tab for the button appears.
- Assign the following properties to the hard button.

Hard Button 16, Page 1	
Context	Static
Selected Style	Green
Unselected Style	Dim Green
Inconsistent Style	Dim Orange
Error Selected Style	Red Flashing
Error Unselected Style	Dim Red Flashing
Label	Lock
Function	Lock
Lock properties:	
Mode	Latching

Fig 68. Hard Button Properties

The lock button appears as shown in Fig 69.




Fig 69. Lock Button

4. Add page navigation hard buttons for Main, Video Proc., Audio Delay, and Convert.

For example, to assign a page navigation button to the Main page:

- Select the lower-left hard button. The control properties tab for the button appears.
- Assign the properties to the hard button as shown in Fig 70.




Fig 70. Hard Button Properties

Continue setting up the rest of the page navigation buttons. When finished, the following page navigation buttons, each pointing to its corresponding page are set up:




Fig 71. Navigation Page Buttons

7.2.3 Step 3: Setting up the Main Page

In this configuration, there are four channels. The controls on the Main page are to select the channel. Because this is a multi-channel configuration, a string region displays the currently selected channel on each page.

To set up the example Main page:

1. Select the **Page 1: Main** tab.
2. Add the Channel Select shaft encoder. When the shaft encoder is rotated, it scrolls through the channels sequentially.

Select shaft encoder 1 (the top-left encoder) and configure it as a Channel Select control. The properties appear as shown in Fig 72.

Shaft Encoder 1, Page 1	
Step	1
Divisor	1
Preset	0
Value formatting	%d
Orientation	Horizontal
Maximum Value	2000
Minimum Value	0
Label	Channel
Function	Channel Select
Channel Select properties:	

Fig 72. Shaft Encoder Properties

3. Add Take and Cancel soft buttons that are linked to the Channel Select shaft encoder. When the Take button is pressed, the shaft encoder's value (the channel) is applied. When the Cancel button is pressed, the shaft encoder's value returns to the currently applied channel.

Note: Take and Cancel buttons are optional. If they are not present, the channel changes as the shaft encoder is turned.

4. Select soft button 1 (the upper-left soft button) and configure it as a Take button. The properties appear as shown in Fig 73.

Soft Button 1, Page 1	
Label	Take
Function	Take
Take properties:	
Shaft Index	1

Fig 73. Soft Button 1 Properties

5. Select soft button 2 (the upper-right) soft button and configure it as a Cancel button. The properties appear as shown in Fig 74.

Soft Button 2, Page 1	
Label	Cancel
Function	Cancel
Cancel properties:	
Shaft Index	1

Fig 74. Soft Button 2 Properties

6. Because this is a multi-channel configuration, it is a good idea to add a string region to indicate the currently selected channel on each page.

To add the string region:

- Right click on any control in the model view and, from the menu that appears, select **New String Region**.




Fig 75. New String Region

- Assign the properties in Fig 76. to the string region. This displays the channel name in the string region.

String Region 0, Page 1	
Function	Current Channel Name
Current Channel Name properties:	
Format String	%s

Fig 76. String Region Properties

- Drag the edges of the string region to position it at the top of the display window.




Fig 77. Reposition String Region

- String regions are page specific. To make the string region appear on every page of the configuration, right click in the string region and select **Replicate**.

The model view of the configuration appears as shown in Fig 78.




Fig 78. Configured Display

7.2.4 Step 4: Adding Video Processing Controls

By this stage, the layout of the RollPod configuration and its navigation controls are beginning to take shape. Now, begin to add remote controls. When adding remote controls, it is usually easiest to be connected to the RollCall network. When connected to the RollCall network, RollPod Designer automatically adds addresses when it creates categories. However, cached unit templates can be added, and the category addresses added manually.

The example Video Proc. page includes:

- Four shaft encoders to adjust Master Video Gain, Y Gain, C Gain, and Black Level.
- 'Preset' hard buttons for each of the above parameters.
- A 'Preset All' hard button to return all of the above parameters to their preset values with a single button press.

All of these controls apply to an IQSYN22 module.

To add video processing functions:

1. Select the **Page 2: Video Proc.** tab.
2. Assign the shaft encoders to Master Video Gain, Y Gain, C Gain, and Black Level.

For example, to assign the Master Video Gain Control:

- Open the IQSYN22 template and select Video Output.
- Drag the Master Gain control from the template view onto shaft encoder 1 (the upper-left shaft encoder).




Fig 79. Shaft Encoder Setup

A message prompting the user to create a new category for the unit type displays.

- Select **Yes**. The category is created (with the category address if connected to the network) and the default properties are added to the Control Properties tab. Note that the default label given to the Control is the same as the template name. While this isn't a problem in itself, the RollPod display is limited in the number of characters that can be shown and it might be advisable to shorten the name to something like **M Gain**.

The control properties for shaft encoder 1 appear as shown in Fig 80.

Shaft Encoder 1, Page 2	
Step	1
Divisor	1
Preset	0
Value formatting	%d
Orientation	Horizontal
Maximum Value	2000
Minimum Value	0
Label	Master Gain
Function	Remote Control

Remote Control properties:	
Connection 1 Remove	
Command Number	33000
Category	IQSYN22
Mode	Independent
Name	Master Gain
Add New Connection	

Fig 80. Shaft Encoder Properties

- Repeat this procedure with the other shaft encoders to add controls for the Y Gain, C Gain, and Black Level controls.

When finished the shaft encoder setup appears as shown in Fig 81.




Fig 81. Shaft Encoder Setup

3. Add 'Preset' hard buttons beneath each level adjustment.

For example, to add the Master Gain preset:

- Drag the Master Gain control from the template to Hard Button 3 (the upper-left hard button on a 3U-12 RollPod). This adds the control as a radio button function.




Fig 82. Master Gain Preset

- On the Control properties tab, change the Label parameter to Preset and edit the radio button Value parameter to be the desired default; in this case 0. The Control properties appears as shown in Fig 83.

Hard Button 3, Page 2	
Context	Static
Selected Style	Green
Unselected Style	Dim Green
Inconsistent Style	Dim Orange
Error Selected Style	Red Flashing
Error Unselected Style	Dim Red Flashing
Label	Master Gain
Function	Radio Button

Radio Button properties:	
Mode	Read-write
Connection 1	<div>Remove</div>
Connected To	Remote
Name	Master Gain
Command Number	33000
Category	IQMUX33
Value Type	Fixed
Value	0
Write Delay	0
Read Delay	0
<div>Add New Connection</div>	

Fig 83. Hard Button 3 Properties

- Repeat this procedure to add Preset hard buttons for the Y Gain, C Gain, and Black Level controls.

When finished, the model appears as shown in Fig 84.




Fig 84. Hard Button Setup

4. Add the 'Preset All' button to reset the Master Gain, Y Gain, C Gain, and Black Level remote functions in a single button press. Because this function needs to apply a setting to four different control simultaneously, set up multiple remote connections (one to each control).

To create the 'Preset All' button:

- Drag the Master Gain, Y Gain, C Gain, and Black Level Controls to Hard Button 15 (lower row of hard buttons, second from right). This assigns four remote connections to the Control properties.
- Specify the preset value (0) for each remote connection in the corresponding Value fields.
- Give the hard button the label Preset All.

When finished the Control properties appears as shown in Fig 85.

Hard Button 15, Page 2

Context	Static
Selected Style	Green
Unselected Style	Dim Green
Inconsistent Style	Dim Orange
Error Selected Style	Red Flashing
Error Unselected Style	Dim Red Flashing
Label	Preset All
Function	Radio Button

Radio Button properties:

Mode	Read-write
Connection 1	<div>Remove</div>
Connected To	Remote
Name	Master Gain
Command Number	33000
Category	IQSYN22
Value Type	Fixed
Value	0
Mode	Independent
Read-only	No
Tally	Include
Write Delay	0
Read Delay	0
Connection 2	<div>Remove</div>
Connected To	Remote
Name	Y Gain
Command Number	33001
Category	IQSYN22
Value Type	Fixed
Value	0

Fig 85. Multiple Remote Connections

The Video Proc. page is now complete. The model view appears as shown in Fig 86.




Fig 86. Hard Button Configuration

7.2.5 Step 5: Creating the Audio Delay Page

The example Audio Delay page provides:

- Coarse manual audio delay adjustment, by means of shaft encoders, for the IQSYN22's Audio Delay Select - A and Audio Delay Select - B controls.
- Page navigation, by means of soft buttons, to the Audio Delay adjustment pages for each of the IQSYN22's eight audio pairs.

To set up the Audio Delay page:

1. Select the **Page 3: Audio Delay** tab.
2. From the template, select Audio Delay.
3. Drag the Manual Coarse Delay (A) control from the Audio Delays template to Shaft Encoder 1 (upper-left shaft encoder). Remote control properties on the Control properties tab are updated.




Fig 87. Audio Delay Setup

4. For clarity, change the control's label to Adjust Coarse Delay A.
5. Drag the Manual Coarse Delay (B) control from the template to Shaft Encoder 2 (upper-right shaft encoder). Remote control properties on the Control properties tab are updated.
6. For clarity, change the control's label to Adjust Coarse Delay B.
7. Select Soft Button 1 (the upper-left soft button) and configure it as Page Navigation control, pointing to **Page 4: Audio Delay 1**. Label the button Pair 1.

Soft Button 1, Page 3	
Label	Pair 1
Function	Page Navigation
Page Navigation properties:	
Page Index	4

Fig 88. Soft Button Properties

8. Create similar navigation buttons pointing to pages 5 through 11 (Audio Delay 2 to Audio Delay 8).

When complete, the model view appears as shown in Fig 89.




Fig 89. Audio Delay Pair Setup

7.2.6 Step 6: Creating the Audio Delay 1 to Audio Delay 8 Pages

The Audio Delay 1 to Audio Delay 8 pages provide the controls for Embedded Delay Pairs 1 - 8 on the IQSYN22.

For each pair, the following controls are created:

- A soft button to add a delay equal to the unit's internal delay.
- A soft button to specify the minimum delay - effectively, zero delay.
- Soft buttons to select Audio Delay A or Audio Delay B.
- A shaft encoder to make fine delay adjustments to Audio Delay A and Audio Delay B.

To configure the Audio Delay pages:

1. Select the **Page 4: Audio Delay 1** tab.
2. Drag the Pair 1 Min control from the Audio Delays template to Soft Button 1 (upper-left soft button). The Control properties are automatically configured.




Fig 90. Audio Delay Pair 1 Min Setup

3. Drag the Pair 1 V (Internal 1) control from the Audio Delays template to Soft Button 2. The Control properties are automatically configured.




Fig 91. Audio Delay Pair 1 V Setup

4. Drag the Pair 1 Embedded Delay A and B controls to soft buttons 7 and 8 respectively. The Control properties are automatically configured.




Fig 92. Audio Delay Pair 1 A and B Setup

5. Drag the Fine Delay control to Shaft Encoder 1. The Control properties are automatically configured.




Fig 93. Audio Fine Delay Setup

- 6. Add a Fixed Display String Region to identify the pair.

String Region 1, Page 4	
Function	Fixed Display
Fixed Display properties:	
Label	Pair 1

Fig 94. Fixed Display String Region Properties

When complete, the model view appears as shown in Fig 95.




Fig 95. Fixed Display String Region

7. Repeat the above configuration steps for pages 5 to 11 and Embedded Delay Pairs 2 to 8.

7.2.7 Step 7: Creating the Convert Page

The Convert Page is used to specify the Video Output settings on an IQUDC00 module. Adding controls from a different module type automatically adds a new category to the RollPod configuration, but otherwise, the procedure is the same.

The Convert page includes soft buttons to select the following output standards:

- SD
- 1080i
- 720p

To add the Output Standard controls:

1. Click the **Page 12: Convert** tab.
2. From the Video Output page of the IQUDC00 template, drag the Output Standard controls to the soft button on the RollPod. A new category is added and the Control properties for each of the controls are configured.




Fig 96. Convert Setup

7.2.8 Step 8: Setting Up Additional Channels

Up to this point all of the Categories that have been created for the configuration have been Single Channel categories. However, this configuration requires 4 channels.

To set up the additional channels:

1. Click the **Global** properties tab. Note that the two categories that were created are both single channel categories.
2. Change the Number of Channels field to 4.

Global Properties

[Show Configuration Description](#)

Number of Virtual Button Sets	5
Number of Virtual Buttons	8
Number of Virtual Shaft Encoders	4
Number of Virtual String Regions	2
Auto-lock timeout	0
Default page	1
Number of Channels	4
Short Description	New Config
Command Set Version	0
Lock type	Panel

☐ Enable Router-follow

Category Table

Name	Default ID	CmdSet	Description	Type	Address
IQSYN22	538	25		Multi Channel	See Channel ...
QUDC00	430	29		Multi Channel	See Channel ...

Fig 97. Global Properties Setup

- In the Type column for both categories, select **Multi Channel**. The Addresses for multi channel categories table displays below with two columns, one for each category's addresses. However, the addresses are currently blank.

Category Table

Name	Default ID	CmdSet	Description	Type	Address
IQSYN22	538	25		Multi Channel	See Channel ...
QUDC00	430	29		Multi Channel	See Channel ...

Channel Table

Channel	Name	Page Association	IQSYN22	QUDC00
1	Channel 1		0000:10:10	0000:08:01
2	Channel 2		0000:10:11	0000:08:02
3	Channel 3		0000:10:12	0000:08:03
4	Channel 4		0000:10:13	0000:08:04

Fig 98. Channel Setup

The Channel Name column contains the text that displays in the channel static regions. By default, these are Channel 1, Channel 2, etc..., but they can be changed, if required.

To populate the addresses, either type them directly in the address fields or, if connected to the network, drag them from the network tree.

Category Table

Name	Default ID	CmdSet	Description	Type	Address
IQSYN22	538	25		Dynamic	See Dynamic ...
QUDC00	430	29		Multi Channel	See Channel ...

Channel Table

Channel	Name	Page Association	QUDC00
1	Ch. 1	1	0000:08:01
2	Ch. 1 +1	1	0000:08:02
3	Ch. 2	2	0000:08:03
4	Ch. 3	4	0000:08:04

Fig 99. Multi-channel Addresses

7.2.9 Step 9: Downloading the Configuration

The configuration is now complete. Download the configuration to the RollPod unit as described in Example 1. See Download Configuration to the RollPod on page 75.

8. RollPod / GPI Template

Connect to and control any RollPod or GPI unit using the RollCall Control Panel. When connected the RollCall Control Panel displays the first page of the unit's template.




Fig 100. Example RollPod-12 Template

8.1 Pages

The template is made up of several pages. Each page hosts a group of related controls.

To open a different page, either:

- Select a page from the scrollable list at the top left of the screen,




Fig 101. Pages List

or

- Right-click anywhere in the main part of the screen, and click on the appropriate page from the dialog that opens.




Fig 102. Pages Dialog

8.2 Information Window

The Information Window, displayed at the top of the RollCall template, provides basic information about the status of the unit.




Fig 103. Information Window

Line One: PSUs	<p>This shows the status of the power supply units. Each may show either:</p> <ul style="list-style-type: none"> FAIL <p>No power supply is present or the power supply has failed.</p> OK <p>The power supply is operating normally.</p> <p><i>Note that GPI units only have a single power supply.</i></p>
Line Two: Temp	Displays the internal temperature of the unit in degrees Celsius. (RollPods only, not GPI units)
Line Three: Comms	<p>Displays the overall communication status of the unit.</p> <ul style="list-style-type: none"> N/A <p>Default condition when the unit is loaded with an empty configuration.</p> OK <p>The target units are connected with no errors detected.</p> Fail <p>One or more target units are not connected or there are communication errors.</p>
Line Four: Configuration Name	This displays the name of the configuration file, as defined in the Short Description field on the Global properties tab.

Table 23. Information Details

8.3 Setup Pod Hardware (RollPods only)

These settings are used adjust the LCD display screen's brightness and contrast settings (on 3U RollPods), and configure the brightness of the LED hard buttons.

Fig 104. Pod Hardware Setup

8.3.1 LCD Settings (3U RollPods only)

The LCD settings are only available for 3U RollPods and allow the contrast and brightness settings of the LCD display screen to be configured.

8.3.2 Hard Button LEDs Brightness

These controls define the brightness level for the hard button 'Dim' and 'Bright' display settings.

8.4 Setup Pod Software

Fig 105. Pod Software Setup

8.4.1 Network Name

- Network Name

The edit string sets the name of this RollPod as seen from a RollCall network browser such as RollCall Control Panel.

- Net Show

If the Net Show checkbox is cleared, then the RollPod continues to operate normally, but it is hidden in network browsers. However, a RollCall connection may still be made to a hidden device by entering the address manually, as opposed to browsing.

- Where am I?

In an installation, there could be a large number of RollPods in a particular area. Sometimes it may be necessary to locate a specific RollPod. This function allows visual identification of the box to be made.

3U Versions

When this function is selected the hard buttons and the display flash on and off.

1U Versions

When this function is selected the hard buttons flash on and off.

To return to normal operation uncheck the Who Am I function or press any hard button (this also unchecks the Who Am I function).

Note:

If hard button becomes illuminated red and sequentially cycles around the button array this indicates a fatal system error. If rebooting the system does not solve the problem please contact your local SAM dealer for assistance.

8.4.2 RollCall Address

- RollCall Address

This display shows the current position of the hex switches that define the RollCall address of the RollPod.

- Restart If Changed

By default, the Restart if Changed checkbox is selected, which means that the RollPod automatically restarts and uses the new address when the hex switches are moved.

- Permit Blind

By default, with this checkbox selected, the RollPod responds to incoming Blind Controls, for example, RollTracks sent from other units. By clearing the checkbox, the RollPod can be made to ignore incoming RollTracks.

8.4.3 Version Info

The serial number, PCB revision, software version, and software build number of the unit are shown here.

8.4.4 Restart

Click the **Restart** button to reboot the RollPod software.

8.5 Configuration

The configuration screen displays information about the RollPod's current configuration.




Fig 106. Configuration

- Short Description: The configuration name.
- Compiled on: The configuration timestamp.
- Compiler Version: The version of the RollPod Designer compiler that created the configuration.
- Description: The long description from the Global properties.

8.6 Connections

These controls provide access to the RollPod's local controls such as Lock functions, Page and Channel selection, display information about remote connection states, and allow communication states to be logged.




Fig 107. Connections

8.6.1 Local Control

The controls shown in this section depend upon the RollCall configuration. They provide access to the RollPod's local functions such as Lock, Channel Select and Page Selection.

8.6.2 Category

For each category, the communication state and address of the currently selected channel display

- Select the Log Comms_N_STATE to enable logging of status for each category.

8.7 Logging

Use the Logging options to specify LogServer details and the control the general information to be recorded.

Fig 108. Logging

8.7.1 LogServer

These controls enable the characteristics of the LogServer to be specified.

- **LogServer Name**
The Logging Server to be used may be named by editing the text string in the text window. Click S to save and click P to return to the preset value 'LogServer'. This option is only relevant if the Named LogServer option is selected.
- **Current Logger**
This displays the name of the current LogServer.
- **Current Logger Address**
This displays the RollCall address of the LogServer currently in use.
- **Log To**
These options specify whether:
 - Logging is disabled.
 - Logs are only be sent to the LogServer specified in the LogServer Name field (Named LogServer).
 - Logs are sent to any LogServer on the RollCall network.
- **Accept via IP**
Discover log servers via the Ethernet connection.
- **Accept via RollNet**
Discover log servers via the RollNet connection

- Accept via Bridge
Discover log servers via the Bridge connection

8.7.2 Log Control

These controls display the Logging Parameters for the RollPod hardware. Select the corresponding check boxes to enable logging.

8.7.3 Aggregate Comms

Displays the overall communication status of the unit.

- N/A
Default condition when the unit is loaded with an empty configuration.
- OK
The target units are connected with no errors detected.
- Fail
One or more target units are not connected or there are communication errors.

8.8 Hard Buttons

This template page allows remote actioning of any hard button.

The screenshot shows a web interface titled "Hard Buttons" with five configuration sections for different buttons. Each section includes a "Button X Name" field, an "LED Colour" dropdown menu, and two buttons: "Down event" and "Up event". A "Log Button X" checkbox is also present in each section.

Button	Button Name	LED Colour	Log Button	Down event	Up event
3	Luma	Flash Bright Red	<input checked="" type="checkbox"/>	Down event	Up event
4	Preset BL	Flash Bright Red	<input checked="" type="checkbox"/>	Down event	Up event
5	Preset Cb/Cr Gain	Flash Bright Red	<input checked="" type="checkbox"/>	Down event	Up event
6	Hue Adjust	Flash Bright Red	<input checked="" type="checkbox"/>	Down event	Up event
9	Video Page	Flash Bright Red	<input type="checkbox"/>	Down event	Up event

Fig 109. Hard Button Setup

8.8.1 Down event

For each hard button, the **Down event** button allows remote control to action the behavior of the RollPod as if the hard button had been physically held down.

8.8.2 Up event

For each hard button, the **Up event** button allows remote control to action the behavior of the RollPod as if the hard button had been physically released from being held down.

Depending on the user configuration, some or all of these buttons may have no effect. For example, the up event has no effect with any latching button, which is the default mode of RollPod hard buttons.

8.8.3 LED Colour

This indicates the style that corresponds to the current state of the hard button. Possible colours are:

- Off
- Dim Green / Red / Orange
- Bright Green / Red / Orange
- Flash Dim Green / Red / Orange
- Flash Bright Green / Red / Orange

8.8.4 Log Button

Select this option to log button state and name.

The log fields are:

- BUTTON_N_NAME: Logs the button name. Changes with the page selection.
- BUTTON_N_STATE: Logs the button state, as displayed in the LED Colour field.

8.9 Local Control

The Local Control pages are completely defined by the user configuration. It includes all the controls and pages that display on the RollPod LCD, soft buttons, string regions, and shaft encoders (knobs). The remote user can therefore action any control with the same effect as if the control was made locally on the RollPod.

It is possible to action controls from any RollPod page, whether or not that page is currently visible on the RollPod LCD screen.

The image below shows the Main page from “Example 2: RollPod Configuration” on page 57.




Fig 110. Local Control

8.10 Virtual Control Pages

The Virtual Control pages contain the controls setup as remote output controls, to be used with RollPods and other units on a network via the unit templates in RollCall.

Note: The following pages only appear if the relevant Virtual Controls are configured.

8.10.1 Virtual Buttons

For each virtual button, the **VB# Event** button allows remote control to action the behavior of the RollPod as if a hard button had been physically held down. Virtual button events can also be logged, by checking the Log VB# checkboxes.

The screenshot shows a window titled "Virtual Buttons" containing six sections for Virtual Button 1 through Virtual Button 6. Each section includes a title, a "VB# State" field (all set to "On"), a "VB# Output" field (all set to "On"), a "VB# Event" button, and a "Log VB#" checkbox (all checked).

- Virtual Button 1: Single Input 1**: VB1 State: On, VB1 Output: On, VB1 Event, Log VB1
- Virtual Button 2: Single Pattern Enable**: VB2 State: On, VB2 Output: On, VB2 Event, Log VB2
- Virtual Button 3: Multi Input Loss**: VB3 State: On, VB3 Output: On, VB3 Event, Log VB3
- Virtual Button 4: Muti Logging**: VB4 State: On, VB4 Output: On, VB4 Event, Log VB4
- Virtual Button 5: Log CRC Err. Total**: VB5 State: On, VB5 Output: On, VB5 Event, Log VB5
- Virtual Button 6: Multi Slave**: VB6 State: On, VB6 Output: On, VB6 Event, Log VB6

Fig 111. Virtual Buttons

8.10.2 Virtual String Regions

The virtual string regions can be viewed from this page, and logged by checking the Log VSR# checkboxes.

The screenshot shows a window titled "Virtual String Regions" containing twelve sections for Virtual String Region 1 through Virtual String Region 12. Each section includes a title, a parameter field, and a "Log VSR#" checkbox (all checked).

- Virtual String Region 1**: Memory 1 Name: Dest 1, Log VSR1
- Virtual String Region 2**: Master Gain: 2.4 dB, Log VSR2
- Virtual String Region 3**: Master Gain: 2.4 dB, Log VSR3
- Virtual String Region 4**: HB 9 Name: Chan 1, Log VSR4
- Virtual String Region 5**: HB 9 State: Off, Log VSR5
- Virtual String Region 6**: HB 9 Color: Dim Green, Log VSR6
- Virtual String Region 7**: HB 3 Name: Page 1, Log VSR7
- Virtual String Region 8**: HB 3 State: On, Log VSR8
- Virtual String Region 9**: HB 3 Color: Bright Green, Log VSR9
- Virtual String Region 10**: HB 4 Name: Page 2, Log VSR10
- Virtual String Region 11**: HB 4 State: On, Log VSR11
- Virtual String Region 12**: HB 4 Color: On, Log VSR12

Fig 112. Virtual String Regions

8.10.3 Virtual Shaft Encoders

The virtual shaft encoders can be adjusted allowing remote control to action the behavior of the RollPod as if a shaft encoder had been physically adjusted, from this page, and logged by checking the Log VSE# checkboxes.




Fig 113. Virtual Shaft Encoders

8.10.4 Virtual Button Sets

The virtual buttons sets contain group of controls. These controls can be adjusted allowing remote control to action the behavior of the RollPod as if a control had been physically adjusted. The virtual controls can also be logged by checking the Log VBS# checkboxes.




Fig 114. Virtual Button Sets

8.10.5 Virtual Edit Strings

These are virtual string regions which can be edited by the user.



Fig 115. Virtual Edit Strings