

## Data Sheet

# Rev. 2005-11-16

## Central Control1


Input Mixer, Image, DAMP, DELAY, INS, DIROUT, GUI and Maindisplay, Automation

#### 960/11

#### • Note

This datasheet contains particulars about indicators, power consumption, dimensions and weight.

## Panel Front View



#### Copyright/Disclaimer

All rights reserved. Permission to reprint or electronically reproduce any document or graphic in whole or in part for any reason is expressly prohibited, unless prior written consent is obtained from the Lawo AG.

All trademarks and registered trademarks belong to their respective owners. It cannot be guaranteed that all product names, products, trademarks, requisitions, regulations, guidelines, specifications and norms are free from trade mark rights of third parties.

All entries in this document have been thoroughly checked, however no guarantee for correctness can be given. Lawo AG cannot be held responsible for any misleading or incorrect information provided throughout this manual.

Lawo AG reserves the right to change specifications at any time without notice

© Lawo AG, November 2005



## **Related Products**

Product	Description	Name	
Control System	Controls Consol Surface	960/01	
PSU	Power Supply for Consol Surface	960/04	

### General

Parameter	Conditions	Min.	Тур.	Max.	Unit
Cooling requirement					
Power dissipation	12V		20.4		W
Mechanical data					
Height			185		mm
Width			622		mm
Depth	incl. knobs		70		mm
Weight			3306		g

# **Power Supply**

Parameter	Conditions	Min.	Тур.	Max.	Unit
Operating supply voltage	DC	10.8	12	13.2	V
Nominal supply current	12V		1700		mA
Nominal power consumption	12V		20.4		W

### Indicators

Indicator	Function	Status	Condition		
Left Side					
H1	LCA	static red / Off	LCA not booted / normal operation		
H2	USB Controller	yellow blinking	Data transmision USB		
H3	USB Controller	red	not used		
H4	USB Controller	green blinking	normal operation		
H5	LCA	green	not used		
H6	LCA	yello	not used		
Right Side	Right Side				
H1	LCA	static red / Off	LCA not booted / normal operation		
H2	USB Controller	yellow blinking	Data transmision USB		
H3	USB Controller	red	not used		
H4	USB Controller	green blinking	normal operation		
H5	LCA	green	not used		
H6	LCA	yello	not used		

# Further particulars/explanatory notes


### • Power Consumption

All particulars are typical and can increase in worst case.



# **Panel Back View**

• Left Side



• Right Side

