



BIOS Settings for PC Type 2 - ASUS P4P800 SE


Please note that after a full reset, some pages might look different until the RAID has been configured in screen 2. Store the settings, leave the BIOS and re-enter it to complete the final BIOS settings as shown on screen 1 - 20.




1 v2.51 (C)Copyright 1985-2002, American Megatrends, Inc.




2 v2.51 (C)Copyright 1985-2002, American Megatrends, Inc.




3 v2.51 (C)Copyright 1985-2002, American Megatrends, Inc.




4 v2.51 (C)Copyright 1985-2002, American Megatrends, Inc.




5 v2.51 (C)Copyright 1985-2002, American Megatrends, Inc.




6 v2.51 (C)Copyright 1985-2002, American Megatrends, Inc.




7 v2.51 (C) Copyright 1985-2002, American Megatrends, Inc.




8 v2.51 (C) Copyright 1985-2002, American Megatrends, Inc.




9 v2.51 (C) Copyright 1985-2002, American Megatrends, Inc.




10 v2.51 (C) Copyright 1985-2002, American Megatrends, Inc.




11 v2.51 (C) Copyright 1985-2002, American Megatrends, Inc.




12 v2.51 (C) Copyright 1985-2002, American Megatrends, Inc.




13 v2.51 (C) Copyright 1985-2002, American Megatrends, Inc.




14 v2.51 (C) Copyright 1985-2002, American Megatrends, Inc.




15 v2.51 (C) Copyright 1985-2002, American Megatrends, Inc.




16 v2.51 (C) Copyright 1985-2002, American Megatrends, Inc.




17 v2.51 (C) Copyright 1985-2002, American Megatrends, Inc.



18 v2.51 (C) Copyright 1985-2002, American Megatrends, Inc.






19 v2.51 (C) Copyright 1985-2002, American Megatrends, Inc.



20 v2.51 (C) Copyright 1985-2002, American Megatrends, Inc.

Before configuring the RAID-1 array in screen 2, some BIOS pages will show different values :

 The screenshot shows the 'Main' tab of the BIOS Setup Utility. It displays system information such as System Time (11:08:19), System Date (Mon 05/15/2006), Legacy Diskette A (Disabled), and Language (English). Under 'IDE Configuration', it lists five IDE channels: Primary IDE Master (Not Detected), Primary IDE Slave (LITE-ON CD-RW SOHR), Secondary IDE Master (Not Detected), Secondary IDE Slave (Not Detected), Third IDE Master (FUJITSU MHU2040BH), and Fourth IDE Master (FUJITSU MHU2040BH). Navigation keys are listed on the right: Select Screen (F1), Select Item (F4), Change Option (+/-), General Help (F1), Save and Exit (F10), and Exit (ESC).	 The screenshot shows the 'Boot' tab of the BIOS Setup Utility. It displays 'Boot Device Priority' with three entries: 1st Boot Device (IPS-LITE-ON CD-RW S), 2nd Boot Device (3M-FUJITSU MHU2040), and 3rd Boot Device (Disabled). A note on the right explains that a device in parentheses is disabled. Navigation keys are listed on the right: Select Screen (F1), Select Item (F4), Change Option (+/-), General Help (F1), Save and Exit (F10), and Exit (ESC).
1A Disks will appear as single drives	17A Boot Device Priority without RAID entry
 The screenshot shows the 'Boot' tab of the BIOS Setup Utility. It displays 'Hard Disk Drives' with two entries: 1st Drive (3M-FUJITSU MHU2040) and 2nd Drive (4M-FUJITSU MHU2040). A note on the right explains that the boot sequence is specified from the available devices. Navigation keys are listed on the right: Select Screen (F1), Select Item (F4), Change Option (+/-), General Help (F1), Save and Exit (F10), and Exit (ESC).	Save BIOS after configuring RAID and re-enter BIOS to enter the final RAID settings as shown on screen 1 - 20.