

FA-10DCCRU: Release note

Update Procedure:

[FA505 UpdateGuide-E-E1.pdf](#)

[FA1010 UpdateGuide-E-E2.pdf](#)

[FA-9600 Ver2 Update Procedure](#)

30/Oct/2018

SOFT: v4.00 *Update

DOWNLOAD

https://www.dropbox.com/s/bup2fhlj87wbory/FA10DCCRU_181030%28SOFT%3D4.00%2BGUI%3D2.00%2BManual%29.zip?dl=0

<<< Features >>>

- Support FA-9600.
It works if FA1 version of FA-9600 is R1.30.00 or higher.

4/Oct/2016

SOFT: v3.12 *Update

v3.10 OR HIGHER IS REQUIRED TO WORK WITH FA-505 VERSION 2.10 OR HIGHER.

SEE:https://www.dropbox.com/s/1obzf8cm27m9pcq/FA505_160729%28SOFT%3D2.10%2BFPGA%3D2.11%2BGUI%3D2.10%2BUpdater%3D100%29.zip?dl=0

FPGA1: v1.00

FPGA2: v1.00

GUI : v2.00

DOWNLOAD

https://www.dropbox.com/s/4vxvtmsjco304f9/FA10DCCRU_161004%28SOFT%3D3.12%2BGUI%3D2.00%29.zip?dl=0

<<<Fixed>>>

- Connect with FA-505(Ver2.03): Color Space settings are set to Default when load the Event.
 - Connect with FA-505(Ver1.23 or older)/1010/9500/9520: RGB Clip White/Black are not set to correct default value when load the default Event.
 - Connect with FA-505(V2.10 or Higher): Dynamic Range is not set to correct default value when load the default Event.
 - White Input Clip setting range and Step of RGB Clip (Only for FA-505).
-

29/July/2016

SOFT: v3.10 *Update

v3.10 IS REQUIRED TO WORK WITH FA-505 VERSION 2.10 OR HIGHER.

SEE:https://www.dropbox.com/s/1obzf8cm27m9pcq/FA505_160729%28SOFT%3D2.10%2BFPGA%3D2.11%2BGUI%3D2.10%2BUpdater%3D100%29.zip?dl=0

FPGA1: v1.00

FPGA2: v1.00

GUI : v2.00

DOWNLOAD

https://www.dropbox.com/s/z9d0jpzb3z241l8/FA10DCCRU_160729%28SOFT%3D3.10%2BGUI%3D2.00%29.zip?dl=0

<<< Features >>>

- Support New functions(Operations) added in FA-505 version 2.10.
-

30/May/2016

DOWNLOAD

https://www.dropbox.com/s/9ch1pxetv64wnr1/FA10DCCRU_160530%28SOFT%3D3.00%29.zip?dl=0

SOFT: v3.00 *Update

It is need to update soft, when the version of FA-505 is 2.00 or more.

FPGA1: v1.00

FPGA2: v1.00

GUI : 2.00

<<< Features >>>

- New HDR/SDR conversion supported with FA-505
- Lower frame rate progressive formats supported(1080/23.98p, 24p, 25p, 29.97p) with FA-505
- 4K 2SI color correction supported with FA-505

29/May/2015

DOWNLOAD

https://www.dropbox.com/s/7p9xvbpzmc2dr0m/FA10DCCRU_150529%28SOFT%3D2.10%2BGUI%3D2.00%29.zip?dl=0

SOFT: v2.10

FPGA1: v1.00

FPGA2: v1.00

GUI : 2.00

<<< Features >>>

- Default network IP setting is changed to 192.168.0.101.

<<< Bug Fixed >>>

- Tally of "Input Video Status" in GPI Output Setting don't work properly. (From FA-1010 Ver4.00 / FA-505 Ver1.10). Fixed.
- FS2-4 of FA-505 don't work properly when it is assigned MU SEL and FS SEL in GPI Input Settings at the same time. Fixed.

17/Dec/2014

DOWNLOAD

https://www.dropbox.com/s/3esgowtvhy8uwuw/FA10DCCRU_141217%28SOFT%3D2.00%2BGUI%29.zip?dl=0

SOFT: v2.00

FPGA1: v1.00

FPGA2: v1.00

<<< Features >>>

- Support FA-505
- Port Number Setup
- Event Load/Save by channel
- Improved pots sensitivity

READ THIS BEFORE UPDATING FA-10RU/10DCCRU

[Port Number Setup after updating 10RU&10DCCRU.pdf](#)

INITIALIZE is required after updated due to the event memory architecture change.

See TSB 44-016 FA-10DCCRU Specification Changes

See also FA-505/1010/RU/DCCRU package 2014/12/20

28/Sep/2016

***** 1st release *****

ftp://Products_Update@for-a.info@ftp.for-a.info/FA-10DCCRU/Update/CPLD_v1.00

ftp://Products_Update@for-a.info@ftp.for-a.info/FA-10DCCRU/Update/DSP_v1.00

SOFT: v1.00

FPGA1: v1.00

FPGA2: v1.00