



ADDENDUM: Kaleido-K2

The current release of the Kaleido User's manual does not include instructions for locating the Miranda LongID of a router operating under iControl v3.0. This document includes instructions for operating under the new iControl v3.0 and older versions of iControl (v2.74 is cited)

Getting a Router's Long ID

Case 1: The router is installed on a Miranda Application Server ("Appserver")

- Use internet explorer to access the Appserver
- Click on System Tools
- Click on Administration
- Enter username and password
- Click on File Manager
- Go to :

`/usr/local/iControl/bin/tmp/`

There, you will find the Long ID of all routers installed on the Appserver. Identify the router you need from its name, which will be embedded in the Long ID, e.g.:

- 10.6.5.8_COM1_YourRouter_00_SLOTXX_MODULEIDXXXX (iControl version 2.74)
- Router_< server hostname> _<logical_router_name> (iControl version 3.0)

Case 2: The router is installed on the Kaleido

- From your Kaleido-K2's desktop, double click on the icon "My Computer".
- Navigate to

`C:\iRouter\iControl\bin\tmp`

There, you will find the Long ID of all routers installed on the Kaleido. Identify the router you need from its name, which will be embedded in the Long ID, e.g.:

- 10.6.5.8_COM1_YourRouter_00_SLOTXX_MODULEIDXXXX (iControl version 2.74)
- Router_<app_server_hostname>_<logical_router_name> (iControl version 3.0)