

		Hardwares										Operating Systems					DB Servers					
		IPD 1U					IPD 2U	IPD 3U														
			IPDWS1 (CoreDuo 1u)	IPDWS1HP (i5 1u)	IPD1-2S (i7 1u)	IPD1-3S (i7 1u)	IPD2-4301D (Xeon E5-2620)		IPDWS3 (Core2Duo 3u)	IPDWS3J7 (i7 3u)	IPD3-2S (Dual Xeon E5-1620)	IPD3-2D (Xeon E5-2430)	XP 32	Win7 32	Win7 64	Win8 64	Win10 64	SQL 2000	SQL 2005	SQL 2008	SQL 2012/2014	SQL 2016
IPD Releases		Intel Pentium M 750 1.86 GHz	Intel CoreDuo T2300E 1.66 GHz	Intel Core i5 660 3.3 GHz	Intel Core i7 3770 3.4 GHz	Intel Core i7 4770 3.4 GHz	Intel Xeon E5-2620v4 2.1 GHz	Intel Pentium4 2.8-3.6 GHz	Intel Core2Duo E6300 1.86 GHz	Intel Core i7 950 3.06 GHz	Intel Xeon E5-1620 3.6 GHz / E5-1620v2 3.7 GHz	Intel Xeon E5-2430 2.2 GHz / E5-2430v2 2.5 GHz	Windows XP 32 bits	Windows 7 32 bits	Windows 7 64 bits	Windows 8 64 bits	Windows 10 64 bits	Windows 2000 Server + SQL Server 2000	Windows 2003 Server + SQL Server 2005	Windows Server 2008 R2 + SQL Server 2008 R2	Windows Server 2012 + SQL Server 2012	Windows Server 2016 + SQL Server 2016
7	07.30.24	✗	✗	!	✓	✓	✓	✗	✗	!	✓	✓	✗	✗	✓	✗	✓	✗	✗	✓	✗	✓
	07.20.36	✗	✗	!	✓	✓	✓	✗	✗	!	✓	✓	✗	✗	✓	✗	✓	✗	✗	✓	✗	✓
	07.10.36	✗	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✗	✗	✓	✗	✓	✗	✗	✓	✗	✓
	07.00.50	✗	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✗	✗	✓	✗	✓	✗	✗	✓	✗	✓
	07.00.32	✗	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✗	✗	✓	✗	✓	✗	✗	✓	✗	✓
6	06.70.06	✗	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✗	✗	✓	✗	✓	✗	✗	✓	✗	✓
	06.60.36	✗	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✗	✗	✓	✗	✓	✗	✗	✓	✗	✓
	06.57.04	✗	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✗	✗	✓	✗	✓	✗	✗	✓	✗	✓
	06.55.16	✗	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✗	✗	✓	✗	✓	✗	✗	✓	✗	✓
	06.41.24	✗	✗	!	✓	✓	✓	✗	✗	!	✓	✓	✗	✗	✓	✗	✓	✗	✗	✓	✗	✓
	06.40.64	✗	✗	!	✓	✓	✓	✗	✗	!	✓	✓	✗	✗	✓	✗	✓	✗	✗	✓	✗	✓
	06.21.06	✗	✗	!	✓	✓	✓	✗	✗	✓	✓	✓	✗	✗	✓	✗	✓	✗	✗	✓	✗	✓
	06.20.78	✗	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✗	✗	✓	✗	✓	✗	✗	✓	✗	✓
	06.15.28	✗	✗	!	✓	✓	✓	✗	✗	!	✓	✓	✗	✗	✓	✗	✓	✗	✗	✓	✗	✓
	06.10.90	✗	✗	✓	✓	✓	✗	✗	✗	✓	✓	✓	✗	✗	✓	✗	✓	✗	✗	✓	✗	✓
	06.08.62	✗	✗	!	✓	✓	✓	✗	✗	✓	✓	✓	✗	✗	✓	✗	✓	✗	✗	✓	✗	✓
	06.08.60	✗	✗	!	✓	✓	✓	✗	✗	✓	✓	✓	✗	✗	✓	✗	✓	✗	✗	✓	✗	✓
	06.08.45	✗	✗	!	✓	✓	✓	✗	✗	✓	✓	✓	✗	✗	✓	✗	✓	✗	✗	✓	✗	✓
5	05.99.42	✗	✗	!	✗	✗	✗	✗	✗	✓	✗	✗	✗	✗	✗	✗	✗	✗	✓	✗	✗	✗
	05.99.30	✗	✗	!	✓	✓	✗	✗	✗	✓	✗	✗	✗	✗	✗	✗	✗	✗	✓	✗	✗	✗
	05.82.90	✗	✗	!	✓	✓	✗	✗	✗	✓	✗	✗	✗	✗	✗	✗	✗	✗	✓	✗	✗	✗
	05.64.50	✗	✗	!	✓	✓	✗	✗	✗	✓	✗	✗	✗	✗	✗	✗	✗	✗	✓	✗	✗	✗
	05.64.20	✗	✗	!	✓	✓	✗	✗	✗	✓	✗	✗	✗	✗	✗	✗	✗	✗	✓	✗	✗	✗
	05.63.50	✗	✗	!	✓	✓	✗	✗	✗	✓	✗	✗	✗	✗	✗	✗	✗	✗	✓	✗	✗	✗
	05.62.40	✗	✓	✓	✗	✗	✗	✗	✗	✓	✗	✗	✗	✗	✗	✗	✗	✗	✓	✗	✗	✗
4	04.42.71	✓	✓	✓	✗	✗	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗	✗	✓	✓	✗	✗	✗
	04.42.00	✓	✓	✓	✗	✗	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗	✗	✓	✓	✗	✗	✗
	04.31.80	✓	✓	✓	✗	✗	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗	✗	✓	✓	✗	✗	✗
	04.20.91	✓	✓	✓	✗	✗	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗	✗	✓	✓	✗	✗	✗
	04.15.91	✓	✓	✓	✗	✗	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗	✗	✓	✓	✗	✗	✗
3	03.22.20	✓	✓	✓	✗	✗	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗	✗	✓	✓	✗	✗	✗
	03.21.80	✓	✓	✓	✗	✗	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗	✗	✓	✓	✗	✗	✗
	03.13.50	✓	✓	✓	✗	✗	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗	✗	✓	✓	✗	✗	✗
2	02.20.20	✓	✓	✓	✗	✗	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗	✗	✓	✓	✗	✗	✗
	02.12.80	✓	✓	✓	✗	✗	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗	✗	✓	✓	✗	✗	✗
1	01.15.20	✓	✓	✓	✗	✗	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗	✗	✓	✓	✗	✗	✗

**Notes :**

- To be able to run the Indexing Service (Elasticsearch) on IPDirector stand-alone hardware, 16 GB RAM minimum is required. RAM upgrades are available for IPD1-2S, IPS3-2S/2D. Indexing Service is not supported on IPDWS1HP and IPDWS3J7
- Software "End Of Support" by 31st December 2017 : IPDirector versions up to 6.57 included
- Hardware "End Of Support" by 31st December 2017 : IPDWS1 / IPDWS1HP / IPDWS3 / IPDWS3J7

## Hardware IPD & OS compatibility

Based on the production documentation (Elvis)

Hdw 1U (ref.)	Hdw 1u (processor)	OS	Compatibility	Comments
IPDWS1	CoreDuo T2300E	Win XP Pro SP3	✓	End of support 31 december 2017
IPDWS1	CoreDuo T2300E	Win 7 Pro SP1 x32	✗	End of support 31 december 2017
IPDWS1	CoreDuo T2300E	Win 7 Pro SP1 x64	✗	End of support 31 december 2017
IPDWS1	CoreDuo T2300E	Windows 10 64 bits	✗	End of support 31 december 2017
IPDWS1HP	Core i5 660	Win XP Pro SP3	✗	End of support 31 december 2017
IPDWS1HP	Core i5 660	Win 7 Pro SP1 x32	✗	End of support 31 december 2017
IPDWS1HP	Core i5 660	Win 7 Pro SP1 x64	✓	End of support 31 december 2017
IPDWS1HP	Core i5 660	Windows 10 64 bits	✗	End of support 31 december 2017
IPD1-2S	Core i7 3770	win XP	✗	
IPD1-2S	Core i7 3770	Win 7 Pro SP1 x32	✗	
IPD1-2S	Core i7 3770	Win 7 Pro SP1 x64	✓	
IPD1-2S	Core i7 3770	Windows 10 64 bits	✗	
IPD1-3S	Core i7 4770	win XP	✗	
IPD1-3S	Core i7 4770	Win 7 Pro SP1 x32	✗	
IPD1-3S	Core i7 4770	Win 7 Pro SP1 x64	✓	
IPD1-3S	Core i7 4770	Windows 10 64 bits	✓	

Hdw 2u (ref.)	Hdw 2u (processor)	OS	Compatibility	Comments
IPD2-4301D	Dual Xeon E5-2620v4	Win XP Pro SP3	✗	
IPD2-4301D	Dual Xeon E5-2620v4	Win 7 Pro SP1 x32	✗	
IPD2-4301D	Dual Xeon E5-2620v4	Win 7 Pro SP1 x64	✓	
IPD2-4301D	Dual Xeon E5-2620v4	Windows 10 64 bits	✓	

Hdw 3u (ref.)	Hdw 3u (processor)	OS	Compatibility	Comments
IPDWS3	Core2Duo E6300	Win XP SP3	✓	End of support 31 december 2017
IPDWS3	Core2Duo E6300	Win 7 Pro SP1 x32	✗	End of support 31 december 2017
IPDWS3	Core2Duo E6300	Win 7 Pro SP1 x64	✗	End of support 31 december 2017
IPDWS3	Core2Duo E6300	Windows 10 64 bits	✗	End of support 31 december 2017
IPDWS3J7	Core i7 940/950/960	Win XP Pro SP3	✗	End of support 31 december 2017
IPDWS3J7	Core i7 940/950/960	Win 7 Pro SP1 x32	✗	End of support 31 december 2017
IPDWS3J7	Core i7 940/950/960	Win 7 Pro SP1 x64	✓	End of support 31 december 2017
IPDWS3J7	Core i7 940/950/960	Windows 10 64 bits	✗	End of support 31 december 2017
IPD3-2S	Xeon E5-1620(v2)	Win XP Pro SP3	✗	
IPD3-2S	Xeon E5-1620(v2)	Win 7 Pro SP1 x32	✗	
IPD3-2S	Xeon E5-1620(v2)	Win 7 Pro SP1 x64	✓	
IPD3-2S	Xeon E5-1620(v2)	Windows 10 64 bits	✓	
IPD3-2D	Xeon E5-2430(v2)	Win XP Pro SP3	✗	
IPD3-2D	Xeon E5-2430(v2)	Win 7 Pro SP1 x32	✗	
IPD3-2D	Xeon E5-2430(v2)	Win 7 Pro SP1 x64	✓	
IPD3-D	Xeon E5-2430(v2)	Windows 10 64 bits	✓	

## Hardware Database & OS compatibility

Based on the production documentation (Elvis)

Hdw 1U (ref.)	Hdw (processor)	OS	Compatibility	Comments
IBM & IBM-M2		Windows Server 2003 / SQL Server 2005	✓	End of support 31 december 2017
IBM & IBM-M2		Windows Server 2008 R2 / SQL Server 2008 R2	✗	End of support 31 december 2017
IBM & IBM-M2		Windows Server 2016 / SQL Server 2016	✗	End of support 31 december 2017
IBM-M3 & IBM-M4	x3650 M3 - x3650 M4	Windows Server 2003 / SQL Server 2005	✗	
IBM-M3 & IBM-M4	x3650 M3 - x3650 M4	Windows Server 2008 R2 / SQL Server 2008 R2	✓	
IBM-M3 & IBM-M4	x3650 M3 - x3650 M4	Windows Server 2016 / SQL Server 2016	✗	
DBS3-2D	Xeon E5-2430(v2)	Windows Server 2003 / SQL Server 2005	✗	
DBS3-2D	Xeon E5-2430(v2)	Windows Server 2008 R2 / SQL Server 2008 R2	✓	
DBS3-2D	Xeon E5-2430(v2)	Windows Server 2016 / SQL Server 2016	✗	
DBS1-4201S	Xeon E5-1660v4	Windows Server 2003 / SQL Server 2005	✗	
DBS1-4201S	Xeon E5-1660v4	Windows Server 2008 R2 / SQL Server 2008 R2	✓	
DBS1-4201S	Xeon E5-1660v4	Windows Server 2016 / SQL Server 2016	✓	